

StanleyBlack&Decker

POWER TOOLS ACCESSORIES & FASTENERS CATALOGUE 2024



STANLEY

DEWALT

IRWIN

LENX
ALWAYS HUNGRY

POWER TOOL ACCESSORIES & ANCHORING AND FASTENING SYSTEMS OVERVIEW

For the first time Stanley Black & Decker brings a comprehensive range for power tool accessories and anchoring and fastening systems to our valued customers in India, Bangladesh, Sri Lanka & Nepal. The comprehensive portfolio of industry leading brands including DEWALT, STANLEY, IRWIN & LENOX enables us to bring industry leading technologies to professional users, tradesmen & DIY customers. Along with our comprehensive portfolio of power tools, our accessories and fasteners range positions us as a complete system solution provider for construction, metal working, woodworking, oil & gas, defense, transportation and industrial markets like never before.



The Tradesman choice
for high
performance accessories.



Developed for professionals on
job site for demanding
applications.



Innovative Solutions for the specialist
users demanding optimum
performance

PROFESSIONAL RANGE

As the brand renowned for the toughness and quality of its Professional Power Tools, DEWALT also offers a wide range of accessories. Professional tradesmen require the highest level of performance in the course of their work and expect a professional quality accessory to enhance the performance of their tools.

As a result of extensive research of our user's requirements, the DEWALT accessory range is designed and developed to withstand even the most demanding conditions. This is due to the exceptional technology built into the Extreme DEWALT range of products, as well as the end user driven range of innovative products such as XPC jigsaw blades and XLR concrete drill bits and chisels. Other examples of the DEWALT accessory range that feature market leading performance include reciprocating saw blades.

As with DEWALT power tools, DEWALT accessories utilize state-of-the-art technology and computer aided design during the development process backed up by modern test laboratories as well as substantial field test programmes.



The DEWALT Anchoring and Fastening systems have their roots in the Powers Fasteners company that was established in New York, USA in 1921. Powers Fasteners has grown to become a recognized global leader in the fastening industry with extensive expertise in mechanical anchors, adhesive anchor systems, light-duty fastening, screw fastening and forced entry fastening systems.

In 2012, Powers Fasteners was acquired by Stanley Black & Decker and completes a portfolio of premium tool and construction brands

DEWALT Anchoring & Fastening Systems provides innovative solutions with the reassurance of full compliance with relevant building-codes with user-friendly technical documentation and design software. As a result, you can be sure of each and every fastener, from design to technical support.



TRADESMEN RANGE

Selecting the best drill bit, abrasive wheel or other power tool accessories to get the job done is as important as choosing the right power tool. STANLEY is committed to quality manufacturing and maintaining quality to the highest possible levels. STANLEY accessories are definitely the best choice for tradesmen and serious DIYers which help you work better, smarter and faster.



PROFESSIONAL RANGE

LENOX has been developing premium-performance tools for nearly 90 years. That unique depth of experience has brought us a command of the science of cutting that's second to none. We put it to work for you, developing tools that make your job easier. To make sure you get the best possible performance for the money, we're constantly testing our tools throughout the design and manufacturing processes. We won't ship a blade until it's proven to perform. Advanced statistical tools such as Six Sigma® help us ensure consistent performance every step of the way. Our milestone-based product development ensures that you get the right product with the right quality at the right time—right from the start.

ONLINE RESOURCES
WWW.DEWALT.CO.IN
WWW.DEWALT.COM/ANCHORS

WWW.STANLEYTOOLSINDIA.COM
WWW.LENOXTOOLS.COM

CONTENTS

DEWALT POWER TOOL ACCESSORIES

BONDED ABRASIVES 6

Grinding Wheels
Cutting Wheels
Fibrer Sanding Discs
Marble Cutting Baldes & Turbi Grinding
Wheels Wire Brushes & Cup Wheels
Cuircular Saw Blades - Aluminium
Cuircular Saw Blades - Wood

DRILL BITS 14

SDS Plus Economy Drill Bits
SDS Plus Extreme Drill Bits
SDS Max Drill Bits - 2 Cutter
SDS Max Drill Bits - 4 Cutter
XTREME Series

DEMOLITION CHISELS 19

DIAMOND EDGE 20

Chop Saw Wheel
Max Diamond Blades

JIGSAW BLADES 22

SCREW DRIVING BITS/ NUT DRIVERS 24

MULTI TOOL ACCESSORIES 24

DIRECT FASTENING 25

DEWALT ANCHORS & FASTNERS

CHEMICAL ANCHORS & FASTENERS 27

PV 50 Pro
AC 100 Pro
Fasteners
PURE 500+

ACCESSORIES 32

Threaded Rod Chiesel Points
Threaded Rod Stright Cuts

LENOX POWER TOOL ACCESSORIES 33

BI - Metal Reciprocating Saw Blades
BI - Metal Hole Saws

IRWIN POWER TOOL ACCESSORIES 36

Woodedn Self Cutting Bits
Masonry Drilling Bits

STANLEY POWER TOOL ACCESSORIES 40

DRILLING

Metal HSS Drill Bits
SDS Plus Hammer Drill Bits
Chisels

CUTTING 48

Bonded Abrasive Wheels

PROMO LINE KITS & COMBINATION SETS 51

DEWALT

STANLEY

BLACK + DECKER



DEWALT®

POWER TOOLS ACCESSORIES




GUARANTEED TOUGH.®

INTRODUCTION TO BONDED ABRASIVES

DEWALT Abrasive Product Identification

DEWALT utilizes an industry recognized color coding and identification system to help users identify the right bonded abrasive wheel for their application. There are also several other key identifiers to look for on a wheel; RPM's, wheel size, thickness and bore size to ensure the correct product is used.



American National Standards Institute (ANSI)

A

Primary grain used to make the wheel

A - Aluminum Oxide
TA - Treated Aluminum Oxide
C - Silicon Carbide
Z - Aluminum Zirconia


24

Size of the abrasive grain

Coarse	Medium	Fine	Very Fine
16	30	100	220
20	36	120	240
24	46	180	280
	60		

R

Hardness of the bond

Soft	Medium	Hard		
				
A	N	R	T	Z


BF

Type of bond used


B	- Resinoid
BF	- Resinoid Reinforced
RF	- Rubber Reinforced
S	- Silicate
V	- Vitrified

Types of Bonded Abrasives

Cutting & Edge Grinding




Angle Grinding at Shallow Angles




0°-15°

Angle Grinding & Edge Grinding



15°-25°

Surface Grinding



0°-15°

BONDED ABRASIVES

DEPRESSED CENTRE

Grinding Wheels


- High grain concentration for aggressive grinding action and smooth running wheels
- Proprietary material mix ensures durable long life wheels
- Three sheets of fiberglass for durability

METAL

- Aluminum oxide grain.
- Softer formulation than High Performance for fast grinding.
- General purpose metal grinding.



FERROUS METAL
STAINLESS STEEL



DEWALT DEPRESSED CENTRE METAL GRINDING WHEELS							
Cat #	Type	Diameter (mm)	Thickness (mm)	Bore Size (mm)	Specification	Max RPM	PKS
DT34404	27	100	4,0	16	Metal	15200	35
DWA4500-IN (Red)	27	100	5,0	16	Metal	13750	30
DT34406	27	100	6,0	16	Metal	15200	25
DW4543	27	125	6,0	22.2	Metal	12200	25
DW4547-IN	27	180	6,3	22.2	Metal	8500	40
DWA4547-IN (Red)	27	180	6,7	22.2	Metal	8500	25
DW4549	27	230	6,3	22.2	Metal	6600	20



BONDED ABRASIVES

CUT-OFF WHEELS

Cutting Wheels

- Thin wheel design for fast burr free cutting.
- Proprietary material mix ensures durable long life wheels.
- Two sheets of fiberglass for durability & safety.


METAL

- Aluminum oxide grain.
- Softer formulation than High Performance for fast cutting.
- Cutting in all types of ferrous metals and stainless metals.
- Fast burr free cutting.

FERROUS METAL
STAINLESS STEEL



CUTTING WHEELS



DEWALT CUT-OFF WHEELS

Cat #	Type	Diameter (mm)	Thickness (mm)	Bore Size (mm)	Specification	Max RPM	PKS
DWA8060-IN	1	107	1.2	16	Metal & Stainless Steel	15200	100
DWA8060G-IN (Green)	1	105	1.2	16	Metal & Stainless Steel	14500	50
DWA8060B50 (CD Box)	1	105	1	16	Metal	15200	50
DWA8051-IN	1	105	1.8	16	Metal	13300	50
DWA4520F	1	100	2.8	16	Metal	13750	200
DWA8062-IN	1	125	1.2	22.2	Metal & Stainless Steel	12200	100
DWA8052	1	125	1.6	22.2	Metal & Stainless Steel	12200	100
DWA4522	1	125	3	22.2	Metal	12200	200
DWA8922-IN	1	180	1.6	22.2	Metal & Stainless Steel	8500	50
DWA4524F	1	180	3.0	22.2	Metal	8500	100
DW44560	1	180	3.2	22.2	Metal	8500	100
DWA4525IA-AE	1	230	3	22.2	Metal	6650	50

CHOP SAW WHEEL

Cat #	Type	Diameter (mm)	Thickness (mm)	Bore Size (mm)	Specification	Max RPM	PKS
DWA8011B20	1	355	3	25.4	Metal	3875	20
DWA8011G (Green)	1	355	2.5	25.4	Metal	3875	30
DWA8011R	1	355	2.8	25.4	Metal	3875	25
DWA8011S-IN (Smooth)	1	355	2.8	25.4	Metal & Stainless Steel	4800	25



COATED ABRASIVE

FIBER SANDING DISC					
Cat #	Type	Diameter (mm)	Bore Size (mm)	Specification	PKS
D32-IN	Aluminium Oxide	100	16	36	10
D34-IN	Aluminium Oxide	100	16	60	10
D35-IN	Aluminium Oxide	100	16	80	10
D36-IN	Aluminium Oxide	100	16	120	10
D22-IN	Aluminium Oxide	125	22.2	36	10
D24-IN	Aluminium Oxide	125	22.2	60	10
D25-IN	Aluminium Oxide	125	22.2	80	10
D26-IN	Aluminium Oxide	125	22.2	120	10
D2-IN	Aluminium Oxide	180	22.2	36	10
D4-IN	Aluminium Oxide	180	22.2	60	10
D5-IN	Aluminium Oxide	180	22.2	80	10
D6-IN	Aluminium Oxide	180	22.2	120	10
DZC32-IN	Zirconium	100	16	36	10
DZC33-IN	Zirconium	100	16	60	10
DZC22-IN	Zirconium	125	22.2	36	10
DZC23-IN	Zirconium	125	22.2	60	10
DZC2-IN	Zirconium	180	22.2	36	10
DZC3-IN	Zirconium	180	22.2	60	10
DZC9-IN	Zirconium	180	22.2	80	10
DZC10-IN	Zirconium	180	22.2	120	10



Tough fiber backing to prevent tearing
 Proprietary material mix ensuring durability
 High performance for faster sanding

Available fro 24G to 120G in 4", 5" & 7"



Aluminium Oxide

Zirconium



MARBLE CUTTING BLADES, TURBO GRINDING WHEELS & WIRE BRUSH

For Use with Marble Cutters & Angle Grinders

FEATURES

- High diamond concentration for long life and aggressive material removal.
- Large grinding segments with heat treated steel bodies which provides increases durability and wheel life.



MARBLE CUTTING BLADES & TURBO GRINDING WHEELS

Cat #	Description	Diameter (mm)	Bore (mm)	Pack Qty.
DW47402M-IN	4" MCB - 110mm x 20 (Segment Height 10 mm) for Marble	110	16/20	1
DW47401M-IN	4" MCB - 110mm x 20 Continuous (Segment Height 9 mm) for Marble	110	16/20	1
DT3714-QZ	4" Tile/ Cermaic Continous Blade 110mm x 20mm	110	20	1
DW47402G-IN	4" MCB - 110mm x 20 (Segment Height 10 mm) for Granite	110	16/20	1
DW47502M-IN	5" MCB - 125mm x 22.23 (Segment Height 10 mm) for Marble	125	22,2	1
DW47502G-IN	5" MCB - 125mm x 22.23 (Segment Height 10 mm) for Granite	125	22,2	1
DW47402MB25-IN	Bulk Pack 25pc -4" MCB - 110mm x 20 for Marble	125	16/20	25
DW47401MB25-IN	Bulk Pack 25pc -4" MCB - 110mm x 20 Continuous for Marble	110	16/20	25
DW47402GB25-IN	Bulk Pack 25pc -4" MCB - 110mm x 20 for Granite	110	16/20	25
DW47502MB25-IN	Bulk Pack 25pc -5" MCB - 125mm x 22.23 for Marble	125	22,2	25
DW47502GB25-IN	Bulk Pack 25pc -5" MCB - 125mm x 22.23 for Granite	125	22,2	25
DX3101	PORCELAIN TILES Thin Cutter 100X1.2X 20mm (Industrial Grade)	100	20	1
DX3121	PORCELAIN TILES Thin Cutter 115X1.2X 22.23mm (Industrial Grade)	115	22,2	1
DX3161	PORCELAIN TILES Thin Cutter 180X1.4X 22.23mm (Industrial Grade)	180	22,2	1
DX3781	9" MCB - 230mm X 22.23 mm- LASER BLADE CONCRETE	230	22,2	1
DX4061	7" TURBO GRINDING WHEEL FOR CONCRETE	180	22,2	1
DX4001	4" TURBO GRINDING WHEELS FOR CONCRETE	100	16	1



WIRE BRUSHES & CUP WHEELS

Cat #	Diameter (mm)	Bore (mm)	Wire Length (mm)	Pack Qty.
DT3500-QZ	65	M14	18	1
DT3489-QZ	100	M14	26	1
DT3501-QZ	100	M14	24	1
DT3502-QZ	115	M14	x	1
DW4772T-AE	100	22,2	x	1
DW4774T-AE	115	22,2	x	1
DW4777T-AE	125	22,2	x	1
DW4775T-AE	180	22,2	x	1



CIRCULAR SAW BLADES

Circular Saw Blades - Aluminum

Applications - Burr free aluminum cutting

FEATURES

- 12% titanium carbide provides long life in metal cutting
- Modified ATB tooth geometry provides clean, burr-free cuts
- Expansion slots dissipate heat which extends blade life



CIRCULAR SAW BLADES - ALUMINUM				
Cat #	Description	Bore (mm)	Out Diameter	Teeth
DW03220-IN	Saw Blade 10" 80T Aluminum	25,4	254	80
DW03225-IN	Saw Blade 10" 120T Aluminum	25,4	254	120
DW03230-IN	Saw Blade 12" 80T Aluminum	25,4	254	100
DW03240-IN	Saw Blade 12" 100T Aluminum	25,4	305	100
DW03245-IN	Saw Blade 12" 120T Aluminum	25,4	305	120
DW03260-IN	Saw Blade 14" 100T Aluminum	25,4	354	100
DW03265-IN	Saw Blade 14" 120T Aluminum	25,4	354	120

Circular Saw Blades - Wood

Applications - Cutting plywood, MDF, particle boards, laminated boards & soft wood

FEATURES

- Advanced tooth geometry for chip free cutting.
- Tighter dimensional tolerances ensure smooth cutting.



CIRCULAR SAW BLADES - WOOD WORKING				
Cat #	Description	Bore (mm)	Out Diameter	Teeth
DW03430-IN	TCT Saw Blade 4" 30 T Wood	16	110	30
DW03410-IN	TCT Saw Blade 4" 40 T Wood	20	110	40
DW03540-IN	TCT Saw Blade 5" 40 T Wood	20	125	40
DT4062-B1	TCT Saw Blade 7 1/4" 40 T Wood	20	185	40
DT99563-QZ	XR- Xtreme Series 190MM X 30MM Bore X 36T CSB	30	190	36
DT99564-QZ	XR- Xtreme Series 190MM X 30MM Bore X 60T CSB	30	190	60

SDS PLUS ECONOMY DRILL BITS

SDS PLUS ECONOMY DRILL BITS

Applications

- Suitable for fast drilling of plug, anchor or clearance holes in masonry, stone, concrete and brick/block work.

FEATURES

- 2X more carbide in tip for 2X longer drilling life in rebar-reinforced concrete.
- Tapered core technology to increase strength and resist flute breaks especially when drilling deep holes.
- 2-stage flute design with a variable helix pattern quickly moves debris away from the contact zone to increase drilling speed.
- Two sharp cutting edges deliver true holes for secure anchor installations.
- Optimal groove design minimizes friction for increased speed and longer life.



SDS PLUS EXTREME DRILL BITS			
Cat #	Diameter (mm)	Length (mm)	Working Length (mm)
DW00701-B1	5	110	50
DW00702-B1	6	110	50
DW00703-B1	6	160	100
DW00705-B1	8	110	50
DW00706-B1	8	160	100
DW00707-AE	8	210	150
DW00708-B1	10	110	50
DW00709-B1	10	160	100
DW00710-AE	10	210	150
DW00712-B1	12	160	100
DW00736-AE	12	200	150
DW00739-AE	12	260	200
DW00713-B1	12	460	400
DW00716-AE	14	160	100
DW00717-B1	16	160	100
DW00718-AE	16	200	150
DW00719-AE	16	300	240
DW00720-AE	15	460	400
DW00721-AE	18	200	150
DW00725-AE	20	200	150
DW00726-B1	20	300	250
DW00727-AE	20	460	400



SDS PLUS EXTREME DEWALT DRILL BITS

SDS Plus Extreme DEWALT Drill Bits

Applications

- Suitable for fast drilling of plug, anchor or clearance holes in masonry, stone, concrete and brick/block work.

FEATURES

- The innovative EXTREME DEWALT SDS-Plus drill bit is amongst the very best in terms of its durability drilling life and speed.
- The Superior carbide grade ensures a tip with outstanding durability which gives consistent drilling life.
- The NEW 4 FLUTE SPIRAL incorporates a maximized central core for increased durability and energy transmission.
- The 140° tip design ensures better bit penetration and longer life.
- Hardened Steel body for extra strength and reduced breakage.



SDS PLUS ECONOMY DRILL BITS

Cat #	Diameter (mm)	Length (mm)	Working Length (mm)
DT9504-QZ	5	100	50
DT9505-QZ	5	160	100
DT9514-QZ	6	110	50
DT9515-QZ	6	160	100
DT9520-QZ	6,5	110	50
DT9519-QZ	6,5	160	100
DT9525-QZ	7	160	100
DT9528-QZ	8	110	50
DT9529-QZ	8	160	100
DT9539-QZ	10	110	50
DT9540-QZ	10	160	100
DT9541-QZ	10	210	150
DT9542-QZ	10	260	200
DT9543-QZ	10	310	250
DT9553-QZ	12	160	100
DT9552-QZ	12	200	150
DT9554-QZ	12	260	200
DT9555-QZ	12	300	250
DT9557-QZ	12	450	400
DT9566-QZ	14	160	100
DT9567-QZ	14	200	150
DT9568-QZ	14	260	200
DT9570-QZ	14	450	400
DT9578-QZ	16	160	100
DT9580-QZ	16	260	200
DT9581-QZ	16	300	250
DT9582-QZ	16	450	400
DT9590-QZ	18	450	400
DT9599-QZ	20	450	400
DT9600-QZ	20	600	540
DT9604-QZ	22	450	400
DT9610-QZ	24	450	400

SDS MAX DRILL BITS - 2 CUTTER

SDS Max Drill Bits

Applications

- For use with SDS-Max drive hammer drills for anchor fixing or clearance holes in masonry concrete, brick or block work.



FEATURES

- Full Head Carbide with 2 cutters breaks up the hardest concrete with ease.
- 4 flute spiral with maximum flute entry enables faster debris removal.
- Maximised central core enables more efficient energy transmission to the drill bit head.
- Fully supported carbide head gives longer life and cleaner, more concentric holes for better fixing retention.
- Open head design ensures faster drilling.

SDS MAX DRILL BITS – 2 CUTTER					
Cat #	Diameter (mm)	Length (mm)	Working Length (mm)	Cutters	Pack Qty.
DT9400-QZ	12	340	200	2	1
DT9401-QZ	12	540	400	2	1
DT9405-QZ	14	340	200	2	1
DT9406-QZ	14	540	400	2	1
DT60200-XJ	16	340	200	2	1
DT60201-XJ	16	540	400	2	1
DT60202-XJ	18	340	200	2	1
DT60208-XJ	24	340	200	2	1
DT60209-XJ	24	540	400	2	1
DT60212-XJ	26	340	200	2	1
DT60216-XJ	28	670	550	2	1
DT60217-XJ	30	380	250	2	1



SDS MAX DRILL BITS - 4 CUTTER

PROFESSIONAL RANGE

SDS Max Drill Bits

Applications

- For use with SDS-Max drive hammer drills for anchor, fixing or clearance holes in masonry concrete, brick or block work.

FEATURES

- 4 flute spiral with maximum flute entry enables faster debris removal.
- Maximised central core enables more efficient energy transmission to the drill bit head.
- Fully supported carbide head gives longer life and cleaner, more concentric holes for better fixing retention.
- Open head design ensures faster drilling.
- IRON BLAST TECHNOLOGY strengthens the bit to increase fatigue resistance and minimize breaks.
- Full Head Carbide with four cutters breaks up the hardest concrete with ease and provides 2X longer life in Hard Concrete.
- Single-piece, Tungsten Carbide tip with redesigned head geometry is bonded securely to a high alloy steel body to remain stable under high impact forces.



SDS MAX DRILL BITS – 4 CUTTER					
Cat #	Diameter (mm)	Length (mm)	Working Length (mm)	Cutters	Pack Qty.
DT9409-QZ	16	340	200	4	1
DT9410-QZ	16	540	400	4	1
DT9411-QZ	18	340	200	4	1
DT9412-QZ	18	540	400	4	1
DT9414-QZ	19	540	400	4	1
DT9416-QZ	20	340	200	4	1
DT9417-QZ	20	540	400	4	1
DT9419-QZ	22	340	200	4	1
DT9420-QZ	22	540	400	4	1
DT9422-QZ	24	340	200	4	1
DT9423-QZ	24	540	400	4	1
DT9424-QZ	25	340	200	4	1
DT9425-QZ	25	540	400	4	1
DT9427-QZ	26	340	200	4	1
DT9429-QZ	28	380	250	4	1
DT9430-QZ	28	570	450	4	1
DT9431-QZ	28	670	550	4	1
DT9432-QZ	30	380	250	4	1
DT9433-QZ	30	570	450	4	1
DT9434-QZ	32	380	250	4	1
DT9435-QZ	32	570	450	4	1
DT9436-QZ	32	920	800	4	1

SDS MAX DRILL BITS – 4 CUTTER					
Cat #	Diameter (mm)	Length (mm)	Working Length (mm)	Cutters	Pack Qty.
DT9437-QZ	35	380	250	4	1
DT9440-QZ	36	570	450	4	1
DT9441-QZ	38	380	250	4	1
DT9442-QZ	38	570	450	4	1
DT9443-QZ	38	670	550	4	1
DT9444-QZ	40	380	250	4	1
DT9445-QZ	40	570	450	4	1
DT9448-QZ	45	570	450	4	1
DT9449-QZ	50	570	450	4	1
DT9450-QZ	52	570	450	4	1

XTREME SERIES**PROFESSIONAL RANGE****SDS MAX BITS -XLR SERIES (EXTREME)**

Cat #	Diameter (mm)	Length (mm)	Working Length (mm)	Cutters	Pack Qty.
DT60800-QZ	12	340	210	4	1
DT60805-QZ	14	340	210	4	1
DT60832-QZ	30	380	250	4	1
DT60834-QZ	32	380	250	4	1
DT60844-QZ	40	380	250	4	1
DT60845-QZ	40	570	450	4	1





Demolition Chisels

- Heavy duty chiseling and demolition task in concrete, stone (medium hardness), floor and wall tiles and general masonry.
- Wide range of chisels.
- Specially toughened steel and micro-processor controlled heat treatment ensures consistent tough chisels with longer life.



DEMOLITION CHISELS					
Cat #	Fitment	Shape	Description	Category	
DT6905-B1	17 mm Hex for 5 KG	Pointed	17mm X400 mm HEX POINTED CHISEL- Single Pack	CHISELS -PROFESSIONAL	
DWA0805-IN	18mm SDS Max for 10 KG	Pointed	18 mm X 400 mm SDS MAX POINTED CHISEL- Single Pack	CHISELS -PROFESSIONAL	
DWA0805B10	18mm SDS Max for 10 KG	Pointed	18mm X 400 mm SDS MAX POINTED (BulkPack-10pc)	CHISELS -PROFESSIONAL	
DWA0807-IN	18mm SDS Max for 10 KG	Flat	18mm X 400 mm X 25mm SDS MAX FLAT CHISEL-Single Pack	CHISELS -PROFESSIONAL	
DWA0807B10	18mm SDS Max for 10 KG	Flat	18mm X 400 mm SDS MAX FLAT CHISEL (BulkPack-10pc)	CHISELS -PROFESSIONAL	
DT6821-QZ	18mm SDS Max for 10 KG	Pointed	18mm X 400mm SDS MAX Pointed- (Xtreme Series)- Single Pack	CHISELS -PROFESSIONAL	
DT6823-QZ	18mm SDS Max for 10 KG	Flat	18mmX400mmX25mm SDS MAX FLAT CHISEL (Xtreme Series)- Single Pack	CHISELS -PROFESSIONAL	
DT8087-QZ	18mm SDS Max for 10 KG	Pointed	18 mm X 600 mm SDS MAX POINTED CHISEL- (Xtreme Series)- Single Pack	CHISELS -EXTREME	
DT8088-QZ	18mm SDS Max for 10 KG	Flat	18 mm X 600 mm X 25 mm SDS MAX FLAT CHISEL (Xtreme Series)- Single Pack	CHISELS -EXTREME	
DWA0809-IN	19 mm Hex for 12 KG	Pointed	19 mm X 400 mm HEX POINTED CHISEL - Single Pack	CHISELS -EXTREME	
DT6942-QZ	19 mm Hex for 12 KG	Flat	19 mm X 400 mm X 25 mm HEX FLAT CHISEL (Xtreme Series)- Single Pack	CHISELS -EXTREME	
DT6940-QZ	19 mm Hex for 12 KG	Pointed	19 mm X 400 mm HEX CHISEL POINTED (Xtreme Series)- Single Pack	CHISELS -PROFESSIONAL	
DWA0810-IN	19 mm Hex for 12 KG	Pointed	19 mm X 600 mm HEX POINTED CHISEL Single Pack	CHISELS -EXTREME	
DWA0810B10	19 mm Hex for 12 KG	Pointed	19 mm X 600 mm HEX POINTED (Bulk Pack-10pc)	CHISELS -EXTREME	
DT6941-QZ	19 mm Hex for 12 KG	Pointed	19 mm X 600 mm HEX CHISEL POINTED (Xtreme Series)- Single Pack	CHISELS -PROFESSIONAL	
DT6943-QZ	19 mm Hex for 12 KG	Flat	19 mm X 600 mm X 25 mm HEX FLAT CHISEL (Xtreme Series)- Single Pack	CHISELS -PROFESSIONAL	
DT6927-QZ	28 mm Hex for 30 KG	Pointed	28 mm X 400 mm HEX CHISEL POINTED (Xtreme Series)- Single Pack	CHISELS -EXTREME	
DT6929-QZ	28 mm Hex for 30 KG	Flat	28 mm X 350 mm X 25 mm HEX FLAT CHISEL (Xtreme Series)- Single Pack	CHISELS -EXTREME	
DT6808-QZ	30 mm Hex for 16 KG	Pointed	30 mm X 410mm HEX Pointed Chisel (Xtreme Series)- Single Pack	CHISELS -EXTREME	
DT6838-QZ	45mm SDS Max for 10 KG	Brush Hammer	45 mm BUSH HAMMER CHISEL SDS MAX STEEL-240 mm- Single Pack	CHISELS -EXTREME	





DIAMOND EDGE CHOP SAW BLADE

HIGH PERFORMANCE RANGE

Diamond Edge Chop Saw Blade

FERROUS METAL


DW8500



- 100X the life versus standard chop saw wheel
- Advanced brazing technology cuts metal with the speed of conventional abrasive wheel
- Steel blade core provides constant cutting depth, capacity and stability of solid core
- Ideal for metal cutting
- Also cuts concrete, plastic, fiberglass, rubber, non-ferrous metals and other soft materials without loading




STATIONARY & CHOPSAW



DeWALT CHOPSAW WHEELS

Cat #	Type	Diameter (mm)	Thickness (mm)	Bore Size (mm)	Specification	Max RPM	PKS
DW8500	1	355	4.0	25.4	Metal - 100X Life	4,300	3

Materials



PIPE




STEEL STUDS



ANGLE IRON



REBAR



THREADED ROD

EXTRE METAL MAX DIAMOND BLADES

Cat #	Diameter (mm)	Bore Size (mm)	Description	Life	Pack Qty.
DW8540-IN	100	16	EXTREME METAL DIAMOND CUTOFF 4" AGX 30X Life	30X	1
DW8545-IN	115	22,2	EXTREME METAL DIAMOND CUTOFF 4.5" AGX 30X Life	30X	1
DW8570-IN	180	22,2	EXTREME METAL DIAMOND CUTOFF 7" AG X 30X Life	30X	1
DW8590-IN	230	22,2	EXTREME METAL DIAMOND CUTOFF 9" AG X 30X Life	30X	1
DDW8500-IN	357	25,4	EXTREME METAL DIAMOND CUT OFF WHEEL 14"	100X	1
1985009	100	16	LENOX CUTOFF WHEEL AG 4" 100 X 1.3 X 16"	30X	1
1985492	125	22,2	LENOX CUTOFF WHEEL AG 5" 125 X 1.3 X 22.23	30X	1
1985493	150	22,2	LENOX CUTOFF WHEEL AG 6" 150 X 1.3 X 22.23	30X	1
1985494	180	22,2	LENOX CUTOFF WHEEL AG 7" 180 X 1.6 X 22.23	30X	1
1985496	230	22,2	LENOX CUTOFF WHEEL AG 9" 230 X 35 X 2.1	30X	1
1985497	307	25,4	LENOX CUTOFF WHEEL CH 12" 307 X 3.2 X 25.4	30X	1
1985499	307	25,4	LENOX CUTOFF WHEEL GS 12" 307 X 3.7 X 25.4	30X	1
1985498	357	25,4	LENOX CUTOFF WHEEL CH 14" 357 X 3.2 X 25.4	30X	1
1985500	357	25,4	LENOX CUTOFF WHEEL GS 14" 357 X 3.7 X 25.4	30X	1



JIGSAW BLADES

JIGSAW BLADES

Applications

- Straight & profile cutting of soft & hard wood, plywood, MDF & laminated boards upto 60 mm thickness.
- Straight cutting in plain & perforated sheet metal & aluminum.

FEATURES

- DEWALT HSS jigsaw blades are engineered to deliver a quality cut in a variety of ferrous and non-ferrous metals.
- Fully hardened high speed steel for increased durability.
- DEWALT HCS jigsaw blades are engineered to deliver a quality cut in a variety of materials, including wood, laminates and plastics.



HSS BLADES FOR METAL CULLING / HC SBLADES FOR WOOD CUTTING

Cat #	Applications	Competition Reference	Overall Length (mm)	"Working Length (mm)"	Tooth Pitch (mm)	"Max Depth of Cut (mm)"	Blade Material	Pack Qty.
DT2166-QZ	For fast & straight cuts in Wood and Chip-board up to 60mm thick	T144D	100,0	68,0	4,0	60,0	HCS	5
DT2160-QZ	For straight cuts in aluminium & thin sheet metal from 1.5 - 4mm thick	T118A	76,0	50,0	1,2	4,0	HSS	5
DT2161-QZ	For straight cuts in thick metal, non-ferrous metal & aluminium from 2.5 - 6mm thick	T118B	76,0	50,0	2,0	6,0	HSS	5
DT2163-QZ	For fast, straight cuts in aluminium 4-15mm; metal & non-ferrous metal 4-6mm & plastic up to 30mm thick	T127D	100,0	72,0	3,0	30,0	HSS	5
DT2077-QZ	For use Fast Cutting in wood, plastic-coated wood, fibre boards and plastics	T244D	100,0	70,0	4,0	60,0	HCS	5
DT2169-QZ	For fast, straight cuts in wood & chipboard up to 100mm thick	T344D	152,0	116,0	4,0	100,0	HCS	5
DT2059-QZ	Multi Material, wood- 65 mm, Metal-10mm	T345XF	132,0	101,0	5,0	65,0	BiM	5
DT2085-QZ	For straight cuts in thin sheet metal, pipes and profiles (1.5 - 3mm) including aluminium to 65mm thick	T318A	132,0	108,0	1,2	3,0	HSS	5
DT2186-QZ	For fast straight cuts in wood and chip board , plywood, laminated chipboard and plastic up to 60 mm thick.	T144D	75,0	50,0	4,0	60,0	HCS	100
DT2160B	For straight cuts in aluminium & thin sheet metal from 1.5 - 4mm thick	T118A	76,0	50,0	1,2	4,0	HSS	100
DT2161B	For straight cuts in thick metal, non-ferrous metal & aluminium from 2.5 - 6mm thick	T118B	76,0	50,0	2,0	6,0	HSS	100

SCREW DRIVING BITS / NUT DRIVERS

SCREW DRIVING BITS & NUT DRIVERS				
Cat #	Description	Size (mm)	Type	Pack Qty.
DT7225-QZ	50mm Torsion bit Pozzi Pz1 x 5	50	Pz1	5
DT7226-QZ	50mm Torsion Pozzi PZ2 X5	50	Pz2	5
DT7245-QZ	50mm Torsion bit Phillips Ph1 x 5	50	Ph1	5
DT7246-QZ	50mm Torsion bit Phillips Ph2 x 5	50	Ph2	5
DT7203-QZ	110MM POZI PZ2 X5	110	Pz2	5
DT7204-QZ	110mm Phillips Ph2 x5	110	Ph2	5
DT7290-QZ	70MM TORX BIT T10 X5	70	T10	5
DT7291-QZ	70mm Torx Bit T15 x5	70	T15	5
DT7292-QZ	70mm Torx Bit T20 x 5	70	T20	5
DT7293-QZ	70mm Torx Bit T25 x 5	70	T25	5
DT7295-QZ	70mm Torx Bit T30 X 5	70	T30	5
DT7500-QZ	MAGNETIC BIT HOLDER	x	Hex	1
DWA00003	65 mm PH2-PH2 D-end S2 BITS SET (10PC)	65	Ph2	10
DW00003M-IN	Magnetic 65 mm PH2-PH2 D-end S2 BITS SET (10PC)	65	Ph2	10
DWA00001	110mm PH2-PH2 D-end S2 BITS SET (5PC)	110	Ph2	5
DW00001M-IN	Magnetic 110mm PH2-PH2 D-end S2 BITS SET (5PC)	110	Ph2	5
DT7401-QZ	1/4" MAGNETIC HEX NUT DRIVER 7MM	7	Hex	1
DT7402-QZ	1/4" MAGNETIC HEX NUT DRIVER 8MM	8	Hex	1
DT7403-QZ	1/4" MAGNETIC HEX NUT DRIVER 10MM	10	Hex	1
DT7404-QZ	1/4" MAGNETIC HEX NUT DRIVER 13MM	13	Hex	1

MULTI TOOL ACCESSORIES




CatNo.	Description	Length [mm]	DrillDia. [mm]
DT20715-QZ	Multi-Tool Accessory 5 pc set for DCS355	Multi Tool	1
DT20712-QZ	Multi Material Blade 102mm	Multi Tool	1
DT20716-QZ	Flexible Scraper Blade	Multi Tool	1
DT20719-QZ	Abrasive Sanding Surface for DCS355/ Universal (Carbide Rasp)	Multi Tool	1
DT20709-QZ	Blade DCS355 (22 TPI Titanium Coated SEMI-CIRCLE BLADE for Wood & Nails)/ Universal	Multi Tool	1
DT20700-QZ	MULTI TOOL SANDING PLATTEN For DCS355	Multi Tool	1
DT20705-QZ	65 mm X 43 mm Wide Fast Cut Wood Blade for DCS355	Multi Tool	1

DIRECT FASTENING

FEATURES

General Medium Duty construction applications including:

- Drywall tracks with deflection heads.
- Wire Mesh fixing with 25mm lathing washers.
- Fixing clips and clomps for electricians and plumbers.
- Furring strips to concrete and block.



CONCRETE NAILS - SUITABLE FOR :DCN890

Cat #	Description	Length (mm)	Shank Dia. (mm)	Head Dia. (mm)	Box Quantity	Carton Quantity
DCN8901020	20 x 2.6mm Std Zinc Plated Nails	20	2,6	6,3	1005	5025
DCN8901025	25 x 2.6mm Std Zinc Plated Nails	25	2,6	6,3	1005	5025
DCN8901040	40 x 2.6mm Std Zinc Plated Nails	40	2,6	6,3	1005	5025
DCN8901050	50 x 2.6mm Std Zinc Plated Nails	50	2,6	6,3	510	2550
DCN8901055	55 x 2.6mm Std Zinc Plated Nails	55	2,6	6,3	510	2550
DCN8903013	13 x 3mm XH Extra Hard Zinc Plated Nails	13	3,0	6,3	1000	5000
DCN8903017	17 x 3mm XH Extra Hard Zinc Plated Nails	17	3,0	6,3	1005	5025
DCN8903022	22 x 3mm XH Extra Hard Zinc Plated Nails	22	3,0	6,3	1005	5025
DCN8903043	43 x 3mm XH Extra Hard Zinc Plated Nails	43	3,0	6,3	510	2550
DCN8903048	48 x 3mm XH Extra Hard Zinc Plated Nails	48	3,0	6,3	510	2550

WOOD-NAILS, 16 GA SUITABLE FOR:BATTERY-POWERED DC618, DCN660

Cat #	Description	Type	Diameter (mm)	Length (mm)	Pack Quantity
DNBA1632GZ	Stuffer Head 16GA 20 DEG FINISH NAIL 32MM GALV 2.5M	20 °	1.39 X 1.61	32	2500
DNBA1650GZ	Stuffer Head 16GA 20 DEG FINISH NAIL 50MM GALV 2.5M	20 °	1.39 X 1.61	50	2500
DNBA1663GZ	Stuffer Head 16GA 20 DEG FINISH NAIL 63MM GALV 2.5M	20 °	1.39 X 1.61	63	2500

OTHER ACCESSORIES

Cat #	Description	Type	Pack Quantity
DT2974-QZ	17" CLASS 12 POROTON ALLIGATOR TCT	Alligator Blade	5
DT3905-QZ	BLADES PLANER X 2 HSS	Planer Blade	1
DE7330-XJ	Dewalt Planer Blades for DW733	Planer Blade	1
DT8473-QZ	BAND SAW BLADE FOR DW876	Band Saw Blade	1
DT7030-QZ	ADAPTOR CHUCK SDS	Hammer Accessory	1



Dewalt Planer Blades for DW733



DEWALT®

FASTENERS ENGINEERED BY POWERS®


ANCHORS & FASTENING SYSTEMS

GUARANTEED TOUGH.®

PV50-PRO POLYESTER ANCHOR

- Polyester mortar with an ETA option 7 approval for M8-M24 rods
- Approval valid when using standard trade rods and rods from other manufacturers
- Installation up to -5°C approved
- 18 month shelf life

SUITABLE BASE MATERIALS



APPROVALS



			
CatNo.	Description	Pack Quantity	Carton Quantity
DFC1310150	PV50-PRO-345ML Adhesive Cartridge	1	15

SETTING TIMES

TEMP °C	GEL	SET DRY
- 5° C	90 min	360 min
0° C	45 min	180 min
5° C	25 min	120 min
10° C	15 min	80 min
20° C	6 min	45 min
30° C	4 min	25 min
35° C	2 min	20 min



AC100-PRO STYRENE FREE VINYLESTER ANCHOR

AC100-PRO RANGE





360ml

ETA option 1

Most versatile

- Vinylester chemical anchor, approved for almost any application and base material
- Approved for seismic loads according to category C1
- Approved temperature range of 120°C and a fast curing time for high loads
- Suitable for use in rotary hammer drilled holes, water filled holes, for overhead applications and embedment depths of $\geq 4x\varnothing - 20x\varnothing$
- 18 month shelf life (12 months for 300ml size)

EUROPEAN TECHNICAL APPROVAL

			
CatNo.	Description	Pack Quantity	Carton Quantity
DFC1230100	AC100-PRO-360ML Adhesive Cartridge	1	10



SETTING TIMES

TEMP °C	GEL	SET DRY	SET WET
-10° C	90 min	24 h	48 h
-5° C	90 min	14 h	28 h
0° C	45 min	7 h	14 h
5° C	25 min	2 h	4 h
10° C	15 min	80 min	160 min
20° C	6 min	45 min	90 min
30° C	4 min	25 min	50 min
35° C	2 min	20 min	40 min
40° C	1.5 min	15 min	30 min

AC100-PRO / PV 50-PRO ACCESSORIES DISPENSING TOOLS




DFC1610050

			
CatNo.	Description	Pack Quantity	Carton Quantity
DFC1610050	360ML Manual Adhesive Dispensing Tool	1	10
DFC1610150	360ML Manual Adhesive Dispensing Tool	1	10

FASTENERS

CatNo.	Description	Length [mm]	DrillDia. [mm]
DFC1610100	1 x 410ml Manual Dispenser	1	5
DFC1610050	360 ml Manual Adhesive Dispensing Tool	1	5
DFC1610350	585 ml Manual Adhesive Dispensing Tool	1	5






PRODUCT DESCRIPTION

The PURE500+ is a two-component epoxy adhesive anchoring system. The system includes injection adhesive in plastic cartridges, mixing nozzles, dispensing tools and hole cleaning equipment. The PURE500+ is a high strength adhesive designed for various applications and hole drilling techniques including diamond coring. It is suitable for bonding anchor steel elements to cracked and uncracked concrete, and also approved for water filled holes. PURE500+ is also very suitable for bonding rebars to concrete as post-installed rebar application. The adhesive is approved for a medium range of ambient temperatures and is relatively slow setting.



GENERAL APPLICATIONS AND USES



FEATURES AND BENEFITS

- Designed for use with threaded rod or reinforcing bar in uncracked and cracked concrete
- Consistent performance in uncracked and cracked concrete of variable strength
- Wide range of steel element diameter and embedment depth
- Superior bond strength for the most demanding applications
- Flexible fixture thicknesses
- Simple installation and low cleaning effort
- Versatile low odor formula with relatively long working and curing time
- Various drilling techniques including diamond coring
- Cartridge design allows multiple uses using extra mixing nozzels

SYSTEM COMPONENTS



Pure500+ Epoxy



Threaded Rod



Reinforcing Bar

STEEL GRADES

Carbon Steel 4.6, 4.8, 5.6, 5.8, 8.8


Stainless Steel A2, A4

High Corrosion Resistance Steel HCR

Rebar $f_y = 400$ to 600 MPa

APPROVALS


- ETA-20/1287
- ESR-4809








THREADED RODS CHISEL POINT

- Anchor studs with chisel point, to be used in combination with SC-PRO for ETA to apply

THREADED ROD CHISEL POINT - ZINC PLATED CLASS 5.8 STEEL









CatNo.	Description					
		Length [mm]	Drill Dia. [mm]	Thread Size [mm]	Pack Quantity	Carton Quantity
DFC4130000	Chisel Point Threaded Rod STM8x110-5.8Steel w/Nut & Washer	110	10	M8	10	200
DFC4130050	Chisel Point Threaded Rod STM10x130-5.8Steel w/Nut & Washer	130	12	M10	10	200
DFC4130100	Chisel Point Threaded Rod STM12x160-5.8Steel w/Nut & Washer	160	14	M12	10	100
DFC4130150	Chisel Point Threaded Rod STM16x190-5.8Steel w/Nut & Washer	190	18	M16	10	40
DFC4130200	Chisel Point Threaded Rod STM20x260-5.8Steel w/Nut & Washer	260	24	M20	5	20
DFC4130250	Chisel Point Threaded Rod STM24x300-5.8Steel w/Nut & Washer	300	28	M24	5	20


THREADED RODS STRAIGHT CUT


- Anchor studs with straight cut, to be used in combination with DeWALT chemical anchors

THREADED ROD STRAIGHT CUT - ZINC PLATED 5.8 GRADE



CatNo.	Description					
		Length [mm]	Drill Dia. [mm]	Thread Size [mm]	Pack Quantity	Carton Quantity
DFC4180000	Straight Cut Threaded Rod M8 & 110 w/Nut & Washer	110	10	M8	25	200
DFC4180050	Straight Cut Threaded Rod M10 & 130 w/Nut & Washer	130	12	M10	25	100
DFC4180100	Straight Cut Threaded Rod M12 & 160 w/Nut & Washer	160	14	M12	10	200
DFC4180150	Straight Cut Threaded Rod M16 & 190 w/Nut & Washer	190	18	M16	10	40
DFC4180200	Straight Cut Threaded Rod M20 & 240 w/Nut & Washer	240	24	M20	10	40
DFC4180250	Straight Cut Threaded Rod M24 & 290 w/Nut & Washer	290	28	M24	10	40
DFC4180300	Straight Cut Threaded Rod M27 & 340 w/Nut & Washer	340	30	M27	5	25
DFC4180350	Straight Cut Threaded Rod M30 & 380 w/Nut & Washer	380	35	M30	5	20





BI-METAL RECIPROCATING SAW BLADES

Built Stronger. Cuts Longer.

POWER BLAST TECHNOLOGY™ INCREASES BLADE LIFE

High speed blasting along the cutting edge strengthens the blade to reduce breaks and increase durability

LONGER BLADE LIFE & INCREASED VERSATILITY

Patented T2™ Technology reduces cutting forces on each tooth and optimizes chip removal to allow efficient cutting in the widest range of materials.



BLUE GROOVE 4X FLAT BITS - LENGTH 152mm

Cat No.	DESCRIPTION	Type	BRAND	MATERIAL	Size (Inch)	TPI	Specification	Pack Qty
20550414R	RECIPS 414R 4X3/4X035X14 5/PK for Metal Cutting	Recip Saw Blade	LENOX	BIM	4"	14	THICK METAL	5
20575634R	Z LX BIM RECIP 634R 152X19X1.3 4TPI 5/PK for Wood	Recip Saw Blade	LENOX	BIM	6"	4	FAST WOOD	5
20560606R	Z LX BIM RECIPS 152X19X0.9 5/PK for Wood	Recip Saw Blade	LENOX	BIM	6"	6	WOOD & PLASTIC	5
20562610R	Z LX BIM RECIP 152X19X0.9MM 10TPI 5/PK.	Recip Saw Blade	LENOX	BIM	6"	10	WOOD/METAL/PLASTIC	5
20564614R	RECIPS 614R 6X3/4X035X14 5/PK for Metal Cutting	Recip Saw Blade	LENOX	BIM	6"	14	THICK METAL	5
20566618R	Z LX BIM RECIP 152MMX19X0.9MM 18TPI 5/PK for Metal Cutting	Recip Saw Blade	LENOX	BIM	6"	18	MEDIUM METAL	5
20568624R	Z LX BIM RECIP 152X19X0.9MM 24TPI 5/PK	Recip Saw Blade	LENOX	BIM	6"	24	THIN METAL	5
DT2361-QZ	152mm recip for metal (5 pcs / box)	Recip Saw Blade	DEWALT	BIM	6"	1.8 mm	METAL	5
DT99553-QZ	XR- Xtreme Series 152MM 6IN 14/18TPI METAL RE (5pc/Box)	Recip Saw Blade	DEWALT	XTREME SERIES	6"	14/18	METAL	5
21067614GR	Z LX POWERARC RECIP 152X19X0.9 14T 5/PK	Recip Saw Blade	LENOX	POWER ARC	6"	14	THICK METAL	5
21069618GR	Z LX POWERARC RECIP 152X19X0.9 18T 5/PK.	Recip Saw Blade	LENOX	POWER ARC	6"	18	MEDIUM METAL	5
21072624GR	Z LX POWERARC RECIP 152X19X0.9 24T 5/PK	Recip Saw Blade	LENOX	POWER ARC	6"	24	MEDIUM METAL	5
21061156GR	GOLD RECIPS 156GR 12X3/4X050X6 5PK	Recip Saw Blade	LENOX	GOLD RECIP	6.25"	6	NAIL EMBEDDED WOOD	5
20580810R	Z LX BIM RECIP 203X19X1.3MM 10TPI 5/PK.	Recip Saw Blade	LENOX	BIM	8"	10	WOOD/METAL/PLASTIC	5
1920423	GOLD RECIPS STR 810GR 8X3/4X050X10 5PK	Recip Saw Blade	LENOX	GOLD RECIP	8"	10	WOOD & METAL	5
20577850R	Z LX BIM RECIP 203x19X1.3 10/14TPI 5/PK.	Recip Saw Blade	LENOX	BIM	8"	14	WOOD/METAL/PLASTIC	5
20578818R	RECIPS 818R 8X3/4X035X18 5/PK for Meta Cutting	Recip Saw Blade	LENOX	BIM	8"	18	MEDIUM METAL	5
20579824R	Z LX BIM RECIP 203X19X0.9MM 24TPI 5/PK for Metal Cutting	Recip Saw Blade	LENOX	BIM	8"	24	THICK METAL	5
21073824GR	Z GOLD RECIPS 824GR 8 X3/4 X035X24 5/PK	Recip Saw Blade	LENOX	GOLD RECIP	8"	24	THIN METAL	5
20582956R	Z LX BIM RECIP 229X19X1.3MM 6TPI 5/PK for Wood	Recip Saw Blade	LENOX	BIM	8"	6	NAIL EMBEDDED WOOD	5
21062956GR	Z LX POWERARC RECIP 229X19X1.3 6TPI 5/PK	Recip Saw Blade	LENOX	POWER ARC	9"	6	NAIL EMBEDDED WOOD	5
20506100RG	LX CBD GRIT RECIP 254X19X1.3MM 2/PK	Recip Saw Blade	LENOX	CARBIDE	10"	10	IRON & ABRASIVE	2
20585156R	Z LX BIM RECIP 305X19X1.3MM 6TPI 5/PK for Wood	Recip Saw Blade	LENOX	BIM	12"	6	NAIL EMBEDDED WOOD	5


BI-METAL SPEED SLOT® HOLE SAW WITH T3 TECHNOLOGY™

1779774	1L ARBOR, Hollow Hex Shank Type , 1/2" & larger Shank Size, Fits Holesaw with Dia (14.3-30.2 MM), Adjustable Pilot Bit	LENOX	BIM	14.3-30.2	1
1779801	2L ARBOR, Solid Hex Shank Type , 1/2" & larger Shank Size, Fits Holesaw with Dia (31.8-152.4MM), For enlarging holes	LENOX	BIM	31.8-152.4	1
1779802	3L ARBOR, Solid Hex Shank Type , 1/2" & larger Shank Size , its Holesaw with Dia (31.8-152.4MM), Solid Shank	LENOX	BIM	31.8-152.4	1
1779803	4L ARBOR, 3 sided Shank Type, 1/4" & larger Shank Size, Fits Holesaw with Dia (14.3-30.2 MM), Adjustable Pilot Bit + 3 flats on Shank	LENOX	BIM	31.8-152.4	1
1779804	5L ARBOR, HEX Shank Type, 3/8" & larger Shank Size, Fits Holesaw with Dia (14.3-30.2 MM), Used for 9A-19A arbores hole saws	LENOX	BIM	14.3-30.2	1
1779804	5L ARBOR, HEX Shank Type, 3/8" & larger Shank Size, Fits Holesaw with Dia (14.3-30.2 MM), Used for 9A-19A arbores hole saws	LENOX	BIM	14.3-30.2	1
1779804	5L ARBOR, HEX Shank Type, 3/8" & larger Shank Size, Fits Holesaw with Dia (14.3-30.2 MM), Used for 9A-19A arbores hole saws	LENOX	BIM	14.3-30.2	1
1779805	6L ARBOR, HEX Shank Type, 3/8" & larger Shank Size, Fits Holesaw with Dia (31.8-152.4 MM), Quick change arbor	LENOX	BIM	31.8-152.4	1
3001010L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	16	1
3001111L	HOLES AW T3 11L, 11/16, 17MM 1/BX	LENOX	BIM	17	1
3001212L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	19	1
3001313L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	21	1
3001414L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	22	1
3001515L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	24	1
3001616L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	25	1
3001717L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	27	1
3001717L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	27	1
3001818L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	29	1
3001919L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	30	1
3002020L	HOLES AW T3 10L, 5/8, 16MM 1/BX	LENOX	BIM	32	1
3002121L	HOLES AW T3 21L, 15/16, 33MM 1/BX	LENOX	BIM	33	1
3002222L	HOLES AW T3 22L, 1 3/8 35MM 1/BX	LENOX	BIM	35	1
3002323L	HOLES AW T3 23L, 17/16 37MM 1/BX	LENOX	BIM	37	1
3002424L	HOLES AW T3 24L, 11/2 38MM 1/BX	LENOX	BIM	38	1
3002525L	HOLES AW T3 25L, 19/16, 40MM 1/BX	LENOX	BIM	40	1
3002626L	HOLES AW T3 26L, 5/8, 41MM 1/BX	LENOX	BIM	41	1
3002727L	HOLES AW T3 27L, 1 11/16, 43MM 1/BX	LENOX	BIM	43	1
3002828L	HOLES AW T3 28L, 1 3/4, 44MM 1/BX	LENOX	BIM	44	1
3002929L	HOLES AW T3 29L, 1 13/16, 46MM 1/BX	LENOX	BIM	46	1
3003030L	HOLES AW T3 30L, 1 7/8, 48MM 1/BX	LENOX	BIM	48	1
3003232L	HOLES AW T3 32L, 2, 51MM 1/BX	LENOX	BIM	51	1
3003333L	HOLES AW T3 33L, 2 1/16, 52MM 1/BX	LENOX	BIM	52	1
3003434L	HOLES AW T3 34L, 2 1/8, 54MM 1/BX	LENOX	BIM	54	1
3003636L	HOLES AW T3 36L, 2 1/4, 57MM 1/BX	LENOX	BIM	57	1
3003838L	HOLES AW T3 38L, 2 3/8, 60MM 1/BX	LENOX	BIM	60	1
3004141L	HOLES AW T3 41L, 2 9/16, 65MM 1/BX	LENOX	BIM	65	1
3004242L	HOLES AW T3 42L, 2 5/8, 67MM 1/BX	LENOX	BIM	67	1
3004343L	HOLES AW T3 43L, 68MM 1/BX	LENOX	BIM	68	1
3004444L	HOLES AW T3 44L, 2 3/4, 70MM 1/BX	LENOX	BIM	70	1
3004646L	HOLES AW T3 46L, 2 7/8, 73MM 1/BX	LENOX	BIM	73	1
3004848L	HOLES AW T3 48L, 3, 76MM 1/BX	LENOX	BIM	76	1
3005050L	HOLES AW T3 50L, 3 1/8, 79MM 1/BX	LENOX	BIM	79	1
3005252L	HOLES AW T3 52L, 3 1/4, 83MM 1/BX	LENOX	BIM	83	1
3005454L	HOLES AW T3 54L, 3 3/8, 86MM 1/BX	LENOX	BIM	86	1
3005656L	HOLES AW T3 56L, 3 1/2, 89MM 1/BX	LENOX	BIM	89	1
3005858L	HOLES AW T3 58L, 3 5/8, 92MM 1/BX	LENOX	BIM	92	1
3006060L	HOLES AW T3 60L, 3 3/4, 95MM 1/BX	LENOX	BIM	95	1
3006262L	HOLES AW T3 62L, 3 7/8, 98MM 1/BX	LENOX	BIM	98	1
3006464L	HOLES AW T3 64L, 4, 102MM 1/BX	LENOX	BIM	102	1
3006666L	HOLES AW T3 66L, 4 1/8, 105MM 1/BX	LENOX	BIM	105	1
3006868L	HOLES AW T3 68L, 4 1/4, 108MM 1/BX	LENOX	BIM	108	1
3007070L	HOLES AW T3 70L, 4 3/8, 111MM 1/BX	LENOX	BIM	111	1
3007272L	HOLES AW T3 72L, 4 1/2, 114MM 1/BX	LENOX	BIM	114	1
3007474L	HOLES AW T3 74L, 4 5/8, 118MM 1 /BX	LENOX	BIM	118	1
3007676L	HOLES AW T3 76L, 4 3/4, 121MM 1/BX	LENOX	BIM	121	1
3008080L	HOLES AW T3 80L, 5, 127MM 1/BX	LENOX	BIM	127	1
3008888L	HOLES AW T3 88L, 5 1/2, 140MM 1/BX	LENOX	BIM	140	1
3009696L	HOLES AW T3 96L, 6, 152MM 1/BX	LENOX	BIM	152	1





POWER TOOL ACCESSORIES



BLUE GROOVE 4X FLAT BITS



4 TIMES FASTER THAN STANDARD FLAT BITS



*Up to 4 times faster vs. IRWIN® SPEEDBOR® Classic flat bits



Quick Change Shank



Saves Battery Life



Wood

- 1. DOUBLE CUTTING SPURS**
Scribe outside of the hole, reducing breakout
- 2. THICKER CUTTING EDGE**
For longer drilling life
- 3. BLUE GROOVE POINT & CUTTING EDGE**
For faster chip removal
- 4. 10% LARGER SHANK**
For added durability
- 5. 1/4" / 6mm HEX SHANK**
Prevents bit slipping in chuck

BLUE GROOVE 4X FLAT BITS - LENGTH 152 mm

ITEM NO.	DESCRIPTION	EAN	BRAND	SHELF PACK
10502803	IR BLUE GROOVE 4X FLAT 6MM X 157MM	SELF CUT	IRWIN	6
10502804	IR BLUE GROOVE 4X FLAT 8MM X 152MM	SELF CUT	IRWIN	6
10502805	IR BLUE GROOVE 4X FLAT 10MM X 152MM	SELF CUT	IRWIN	6
10502806	IR BLUE GROOVE 4X FLAT 12MM X 152MM	SELF CUT	IRWIN	6
10502807	IR BLUE GROOVE 4X FLAT 13MM X 157MM	SELF CUT	IRWIN	6
10502808	IR BLUE GROOVE 4X FLAT 14MM X 157MM	SELF CUT	IRWIN	6
10502809	IR BLUE GROOVE 4X FLAT 16MM X 157MM	SELF CUT	IRWIN	6
10502811	IR BLUE GROOVE 4X FLAT 18MM X 157MM	SELF CUT	IRWIN	6
10502812	IR BLUE GROOVE 4X FLAT 19MM X 157MM	SELF CUT	IRWIN	6
10502813	IR BLUE GROOVE 4X 20MM X 157MM FLAT BIT	SELF CUT	IRWIN	6
10502816	IR BLUE GROOVE 4X 25MM X 157MM FLAT BIT	SELF CUT	IRWIN	6
10502820	IR BLUE GROOVE 4X FLAT 32MM X 157MM	SELF CUT	IRWIN	3



10502813

joran®

MASONRY DRILL BITS

FAST AND LONG-LASTING MASONRY DRILL BIT

MASONRY



MASONRY DRILL BITS - ROTARY PERCUSSION

ITEM NO.	DIAMETER mm	WORKING LENGTH mm	TOTAL LENGTH mm	SHANK DIAMETER mm
DW530500C-B1	Masonry Bit 5,0 mm x 85,0 mm	MASONARY BITS	DEWALT	10
DW530600C-B1	Masonry Bit 6,0 mm x 100,0 mm	MASONARY BITS	DEWALT	10
DW530650C-B1	Masonry Bit 6,5 mm x 100,0 mm	MASONARY BITS	DEWALT	10
DW530800C-B1	Masonry Bit 8,0 mm x 120,0 mm	MASONARY BITS	DEWALT	10
DW531000C-B1	Masonry Bit 10,0 mm x 120,0 mm	MASONARY BITS	DEWALT	10
DW531200C-B1	Masonry Bit 12,0 mm x 150,0 mm	MASONARY BITS	DEWALT	10
10501814	IR MASONRY 4.0 X 75 X CYL	MASONARY BITS	IRWIN	10
10501812	IRWIN MASONRY 3.0 X 70 X CYL	MASONARY BITS	IRWIN	10
10501813	IR MASONRY 3.5X75XCYL	MASONARY BITS	IRWIN	10
10501816	IR MASONRY 4.5X85XCYL	MASONARY BITS	IRWIN	10
10501817	IR MASONRY 5.0 X90XCYL	MASONARY BITS	IRWIN	10
10501819	IR MASONRY 5.5 X 95 X CYL	MASONARY BITS	IRWIN	10
10501820	IR MASONRY 5.5 X 160 X CYL	MASONARY BITS	IRWIN	10
10501821	IR MASONRY 6.0X100XCYL	MASONARY BITS	IRWIN	10
10501822	IR MASONRY 6.0X160XCYL	MASONARY BITS	IRWIN	10
10501826	IR MASONRY 6.5 X 105 X CYL	MASONARY BITS	IRWIN	10
10501834	IR MASONRY 8.0X120XCYL	MASONARY BITS	IRWIN	10
10501840	IR MASONRY 8.5X125XCYL	MASONARY BITS	IRWIN	10
10501846	IR MASONRY 10.0 X 140 X CYL	MASONARY BITS	IRWIN	10
10501853	IR MASONRY 11.0 X 160 X CYL	MASONARY BITS	IRWIN	10
10501854	IR MASONRY 12.0 X 160 X 10	MASONARY BITS	IRWIN	10
10501859	IR MASONRY 13.0 X 160 X CYL	MASONARY BITS	IRWIN	10
	IR MASONRY 14.0 X 160 X CYL	MASONARY BITS	IRWIN	10
10501867	IR MASONRY 16.0 X 160 X 10	MASONARY BITS	IRWIN	10
10501882	IR MASONRY 22.0X160X13	MASONARY BITS	IRWIN	10



IMPROVED CARBIDE TIP DESIGN ensures for durability and fast drilling in all masonry materials
AGGRESSIVE HEAD DESIGN for up to 15% speed advantage over competition
UNIQUE BRAZING PROCESS ensures a perfect bond between tip and body
SINGLE FLUTE DESIGN gives maximum space for dust removal and provides a 60% faster dust removal

20% LONGER LIFE*



10501812




STANLEY®



**POWER TOOL
ACCESSORIES**



DRILLING: METAL HSS DRILL BITS



Metal HSS drill bits for fast accurate drilling in soft steel, sheet steel and non ferrous metals.

Available in sizes 1 — 13mm

METAL BITS

Cat#	Description	Dia (mm)	Material	Brand	Pack Qty
STA15325B20	HSS 1mm Pack of (10)	1	HSS BITS	STANLEY	10
STA50009B10	HSS 1.5mm Pack of (10)	1.5	HSS BITS	STANLEY	10
STA50014B10	HSS 2mm Pack of (10)	2	HSS BITS	STANLEY	10
STA50024B10	HSS2.5mm Pack of (10)	2.5	HSS BITS	STANLEY	10
STA50029B10	HSS3mm Pack of (10)	3	HSS BITS	STANLEY	10
STA50039B10	HSS 3.5mm Pack of (10)	3.5	HSS BITS	STANLEY	10
STA50034B10	HSS3.2mm Pack of (10)	3.2	HSS BITS	STANLEY	10
STA50044B10	HSS 4mm Pack of (10)	4	HSS BITS	STANLEY	10
STA50059B10	HSS 4.5mm Pack of (10)	4.5	HSS BITS	STANLEY	10
STA50069B10	HSS 5mm Pack of (10)	5	HSS BITS	STANLEY	10
STA50079B10	HSS 6mm Pack of (10)	6	HSS BITS	STANLEY	10
STA50089B10	HSS 6.5mm Pack of (10)	6.5	HSS BITS	STANLEY	10
STA50094B10	HSS 7mm Pack of (10)	7	HSS BITS	STANLEY	10
STA50099B10	HSS 7.5mm Pack of (10)	7.5	HSS BITS	STANLEY	10
STA50104B05	HSS 8mm Pack of (5)	8	HSS BITS	STANLEY	5
STA50119B05	HSS 9mm Pack of (5)	9	HSS BITS	STANLEY	5
STA50124B05	HSS 9.5mm Pack of (5)	9.5	HSS BITS	STANLEY	5
STA50134B05	HSS 10mm Pack of (5)	10	HSS BITS	STANLEY	5
STA50139B05	HSS 10.5mm Pack of (5)	10.5	HSS BITS	STANLEY	5
STA50144B05	HSS 11mm Pack of (5)	11	HSS BITS	STANLEY	5
STA50149B05	HSS 11.5mm Pack of (5)	11.5	HSS BITS	STANLEY	5
STA50154B05	HSS 12mm Pack of (5)	12	HSS BITS	STANLEY	5
STA50159B05	HSS 12.5mm Pack of (5)	12.5	HSS BITS	STANLEY	5
STA50164B05	HSS 13mm Pack of (5)	13	HSS BITS	STANLEY	5



DRILLING: SDS PLUS HAMMER DRILL BITS



SDS PLUS Hammer drill bits for drilling into concrete, natural stone and other hard materials.


Available in sizes 4 – 25mm

Cat#	Diameter (mm)	Length (mm)	Brand	Working Length (mm)
STA54002	5	110	STANLEY	50
STA54012	6	110	STANLEY	50
STA54032	6	160	STANLEY	100
STA54022	8	110	STANLEY	50
STA54037	8	160	STANLEY	100
STA54057	8	210	STANLEY	150
STA54027	10	110	STANLEY	50
STA54042	10	160	STANLEY	100
STA54062	10	210	STANLEY	150
STA54047	12	160	STANLEY	100
STA54067	12	210	STANLEY	150
STA54097	12	260	STANLEY	200
STA54122	12	450	STANLEY	400
STA54052	14	160	STANLEY	100
STA54102	14	310	STANLEY	250
STA54077	16	210	STANLEY	150
STA54107	16	310	STANLEY	250
STA54127	16	450	STANLEY	400
STA54112	18	310	STANLEY	250
STA54132	18	450	STANLEY	400
STA54087	20	210	STANLEY	150
STA54137	20	450	STANLEY	400





DRILLING: CHISELS




SDS-PLUS / SDS-MAX / 17MM Hexagon and 19MM Hexagon chisels for Chipping in concrete and masonry, removal of tiles.

Cat#	Fitment	Shape	Description	Description	Category
STA54406	14 mm SDS Plus for 2 KG	FLAT	14 mm SDS PLUS ROUND BODY FLAT CHISEL,SDS+,Flat 20 mm,14x250x20	STANLEY	CHISELS -ECO
STA54401	14 mm SDS Plus for 2 KG	POINTED	14 mm SDS PLUS ROUND BODY POINT CHISEL,SDS+,Point,14x250	STANLEY	CHISELS -ECO
STA54501	17 mm Hex for 5 KG	POINTED	17mm x280mm Hex Shank Chisel - Pointed	STANLEY	CHISELS -ECO
STA54476	17 mm Hex for 5 KG	FLAT	17mm X450mm Hex Shank Pointed Chisel	STANLEY	CHISELS -ECO
STA54496	17 mm Hex for 5 KG	POINTED	18 mm x300x25mm SDS MAX FLAT	STANLEY	CHISELS -ECO
STA54481	17 mm Hex for 5 KG	FLAT	17x450x25mm Hex Shank Flat Chisel	STANLEY	CHISELS -ECO
STA54426	18mm SDS Max for 10 KG	FLAT	18 mm x300x25mm SDS MAX FLAT	STANLEY	CHISELS -ECO
STA54416	18mm SDS Max for 10 KG	POINTED	18 mm x 300 SDS MAX ROUND BODY PONT CHISEL	STANLEY	CHISELS -ECO
STA54421	18mm SDS Max for 10 KG	POINTED	18 mm X 400 SDS MAX ROUND BODY PONT CHISEL,SDS MAX	STANLEY	CHISELS -ECO
STA54431	18mm SDS Max for 10 KG	FLAT	18 mm x400x25mm SDS MAX FLAT	STANLEY	CHISELS -ECO
STA54471	19 mm Hex for 12 KG	FLAT	19 mm x 300 X 25mm Hex Shank Chisel,HEX,Flat	STANLEY	CHISELS -ECO
STA54466	19 mm Hex for 12 KG	POINTED	19 mm x300mm Hex Shank Chisel,HEX,Pointed	STANLEY	CHISELS -ECO
STA54441	19 mm Hex for 12 KG	POINTED	19 mm x400 Hex Shank Chisel,HEX,Point	STANLEY	CHISELS -ECO
STA54446	19 mm Hex for 12 KG	POINTED	19 mm x600 Hex Shank Chisel,HEX,Point	STANLEY	CHISELS -ECO





CUTTING: BONDED ABRASIVE WHEEL



Cutting & Grinding wheels for steel & metal.

GRINDING WHEELS

Cat#	Type	Diameter (mm)	Thickness (mm)	Bore Size (mm)	Specification	Brand	Max RPM	PKS
STA4500	27	100	6,0	16	Metal	STANLEY	15200	50
STA4500S	27	100	6,0	16	Metal & Stainless Steel	STANLEY	13750	50
STA4502A	27	125	6,0	22.2	Metal	STANLEY	12200	50
STA0414	27	180	6,0	22.2	Metal	STANLEY	8500	50

CUT - OFF WHEELS

Cat#	Type	Diameter (mm)	Thickness (mm)	Bore Size (mm)	Specification	Brand	Max RPM	PKS
STA8060B50 (CD BOX)	1	105	1	16	Metal & Stainless Steel	STANLEY	15200	50
STA4522	1	125	3	22.2	Metal	STANLEY	12200	50
STA0411	1	180	3	22.2	Metal	STANLEY	8500	50
STA8011R	1	355	2.8	25.4	Metal	STANLEY	3875	10

MARBLE CUTTING BLADES

Cat#	Description	Diameter (mm)	Bore Size (mm)	Brand	Pack Qty
STA47402B-AE	4" (105mm) x 0.080 x 7mm x 20mm, Segmented	110	16/20	STANLEY	1
STA47702L	7" (180mm) x 0.080 x 7mm x 20mm, Segmented	180	22,2	STANLEY	1
STA47902L	9" (230mm) x 0.095 x 5mm x 20mm, Segmented	230	22,2	STANLEY	1

SAW BLADES

Cat#	Description	Bore Size (mm)	Out Diameter	Brand	Teeth	Pack Qty
STA15325B20	165mm X20mm Bore X 24T CSB	20	165	STANLEY	24	20
STA7737-AE	7-1/4 24T Saw Blade - Car	20	185	STANLEY	24	5
STA7747-AE	7-1/4" 140T HSS General Purpose Saw Blade for Wood	20	185	STANLEY	140	5
STA7770-AE	10" 60T Saw Blade - Carded - Mitre Saw	25.4	254	STANLEY	160	1





PROMO LINE KITS & COMBINATION SETS

Dewalt Hammer drill bit-Set SDS-plus (6 Piece)

DT60302-QZ

Crafted for high-impact drilling applications, the DEWALT DT60302 SDS-Plus hammer drill bits can efficiently drill holes into bricks, concrete, and other masonry surfaces.

The carbide tips of these hammer drill bits help improve their heat resistance, allowing you to drill for prolonged durations, while their double flute design tips provide stable support during drilling operations.

- Suitable for fast drilling of plug, anchor or clearance holes in masonry, stone, concrete and brick/block work
- 2 Flute Helix: specially developed drilling helix for efficient removal of dust
- Optimized carbide tip drill head design with 2 cutting edges



CASSETTE, 5 PIECE MASONRY DRILLS

DT6952-QZ

The Dewalt Hammer Drill Bit is an excellent choice for masonry drilling. It is made of high-quality materials and is very durable.

- For drilling into concrete, masonry, natural and artificial stone, brick, etc
- Rotary/percussion masonry carbide tip drill bit
- Heat treated body to reduce bit breakage



10PC METAL DRILL BIT HSS -R SET

DT5911-QZ

The HSS-R Extreme drill bits Sets from DeWalt has been manufactured to a very high standard courtesy of the innovative tapered web which greatly reduces breakage, while the gold ferrous oxide coating prevents overheating for longer bit life

- Faster drilling - up to 4 times faster than standard HSS-R drill bits
- Increased durability - up to 50% stronger than standard HSS-R drill bits
- Cleaner, accurate, burr-free holes due to recessed cutting wings
- Permanent size markings located above shank for increased visibility
- For portable drilling of steel, alloyed and non-alloyed up to 900N/mm², and for drilling a sheet or thin materials
- Sizes -1mm/2mm/3mm/4mm/5mm/6mm/7mm/8mm/9mm/10mm Metal Drill Machine Bit Set (Pack of 10)



13PC METAL DRILL BIT HSS-R SET

DT5912-QZ

The HSS-R Extreme drill bits Sets from DeWalt has been manufactured to a very high standard courtesy of the innovative tapered web which greatly reduces breakage, while the gold ferrous oxide coating prevents overheating for longer bit life

- Permanent size markings located above shank for increased visibility
- Suitable for portable or stationary drilling in steel, alloyed and non alloyed material, cast iron, sintered iron, nickel, brass, etc. (upto 900N/mm²)
- Non alloyed black oxide precision ground twist drill bit for rapid drilling, long life and excellent concentricity
- Ground from solid stock right hand cutting, type N flute, precision ground 118° point angle
- Sizes - 1.5mm/2mm/2.5mm/3mm/3.2mm/3.5mm/4mm/4.5mm/4.8mm/5mm/5.5mm/6mm/6.5mm Metal Drill Machine Bit Set (Pack of 13)



338 HSS-R DIN Jobber Drill Bit Set (Pack of 19)

DT5913-QZ HSS - R 19 PCE SET

- Includes: 1 mm, 1.5 mm, 2 mm, 2.5 mm, 3 mm, 3.5 mm, 4 mm, 4.5 mm, 5 mm, 5.5 mm, 6 mm, 6.5 mm, 7 mm, 7.5 mm, 8 mm, 8.5 mm, 9 mm, 9.5 mm, 10 mm
- Set of 19 drill bits in handy metal case
- Suitable for Drilling in Steel, Cast Steel, Alloyed and Non-Alloyed Material Up to Up to 900N/mm²



29PC HSS-R SET

DT5930-QZ SET

The HSS-R Extreme drill bits Sets from DeWalt has been manufactured to a very high standard courtesy of the innovative tapered web which greatly reduces breakage, while the gold ferrous oxide coating prevents overheating for longer bit life.

- Permanent size markings located above shank for increased visibility

Additional Features

- Non alloyed black oxide precision ground twist drill bit for rapid drilling, long life and excellent concentricity
- Ground from solid stock right hand cutting, type N flute, precision ground 118° point angle

Applications

- For portable drilling of steel, alloyed and non-alloyed up to 900N/mm², and for drilling a sheet or thin materials



HSS- G CASS 10 PCE

DT5921-QZ

- Precision ground spiral groove for maximum drilling progress and tool life as well as excellent concentricity
- Made of high-speed steel (HSS) according to DIN 338 for extended durability.
- Right-hand cutting spiral groove type N, 118 ° point angle, Tapered section.
- Innovative conical net that greatly reduces breakage
- Diameter tolerance to h8
- Diameter: 1; 2; 3; 4; 5; 6; 7; 8; 9; 10 mm



DEWALT Metal Drill Bit Set (19 Piece) HSS-G

DT5923-QZ

- Suitable for portable or stationary drilling in steel cast steel, alloyed and non-alloyed material, grey cast-iron, spherical-granite cast iron, sintered iron, nickel, brass etc up to 900N/mm²
- Special steel made from high-performance, high-speed steel manufactured to DIN 33 for longer life
- Faster drilling - up to 4 times faster than standard HSS bits
- Innovative conical net that greatly reduces breakage

Additional Features

- Precision ground twist for rapid drilling, long life and excellent concentricity

Applications

- Metal Drilling



DEWALT 29 PIECE HSS-G BIT SET 1-13MM

DT5929-QZ

- These DeWalt metal drill bit sets contain drill bits suitable for portable or stationary drilling of steel, alloyed and non alloyed metal up to 900N/mm
- They are particularly suited to drilling sheet or thin materials where accurate burr free holes are required and are very effective when working with wood and plastics
- The patented split pilot point design eliminates walking/slipping on contact
- Precision ground twist drill for rapid drilling, long life, and excellent concentricity
- Manufactured from HSS Ground from solid stock right hand cutting, type N flute and a precision ground at 118° point angle Drills above 13mm (1/2") have a shank reduced to 12.7mm
- Diameters: 1, 1.5, 2, 2.5, 3, 3.2, 3.3, 3.5, 4, 4.2, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5 and 13mm



DEWALT 17pcs Socket Set

DT7506-QZ

Packed with innovative features, DEWALT IMPACT READY™ Drive Sockets provide impact driver users with a high-performance socket solution. Recessed corners distribute torque across flats. Large, laser-etched markings are easily identifiable. Ideal for tight spaces. Designed for use in both corded and cordless impact drivers and wrenches.

- Large laser etched markings - easily identifiable
- Provides the impact driver user with a socket
- Designed for use in both corded cordless Impact drivers and wrenches solution
- Recessed corners distributes torque across flats - promoting life
- Impact rated sockets for use with 1/2" drive impact wrenches
- Black oxide finish with laser marking
- Thinner than wrench sockets for tough to access areas

Applications

- Mechanical Contractors - HVAC | Deck Builders | General Contractors | Overhead Garage Door installers

Specifications

- 15x Socket spanners
- Diameters : 6, 8, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 27 mm
- 1x Spacer 1/4 Inch to 1/2 Inch



100pc Drill Drive set

DT71563-QZ

100-Piece Drill & Screwdriver Accessories Bit Set with Magnetic Drive Guide & Storage Case Ideal for Wood, Masonry & Metal for Home, DIY & Professional Use

- Size: 13 x brad point wood bits (2 x 3, 3.5, 4, 4.5, 2 x 5, 5.5, 6, 6.5, 7, 7.5 and 8mm), 12 x metal drill bits (1.5, 2, 2.5, 2 x 3, 3.5, 4, 4.5, 5, 5.5, 6 and 6.5mm), 3 x masonry drill bits (6, 7 and 8mm), 2 x holesaw bits (32 and 44mm), 1 x m. Screwdriving bits: Philips-Ph1x2, Ph2x2, Ph3x2, Slotted: 4mm, 5mm, 7.2mm, Pozidriv: Pz1, Pz2x28, Pz3x2. Hex: H4, H5, H6, H7. Torx: T15, T20, T25, T30, T40
- Holds bits securely, magnetic bit holder, tough plastic storage case
- This tool kit contains high precision bits that are designed for easy drilling and screwdriving applications
- The bits are compatible with standard electric screwdrivers and can be used for various application



FATMAX® 8-Piece Flatwood (Spade) Drill Bit Set

STA88556-XJ

- Connectable box allows stacking and locking multiple sets
- Easy removal and fastening of the screws for added user comfort. High performance wood drill bits for faster drilling
- GROUND CENTRAL POINT: For accurate drilling
- CUTTING EDGES: For fast, clean drilling
- HEX SHANK: Prevents bit slipping in standard corded and cordless drill chucks (6.35 mm hex shank bits for a more secure fit on the drill)
- RANGE: Available in sizes from 6mm - 38mm
- APPLICATIONS: For general purpose use in soft and hard woods, laminates and chipboard

Includes

- 8 x Stanley FM shovel drill bits (1x 12, 16, 18, 20, 22, 25, 28, 32 diameter x 152 mm)



Stanley 31 Piece Colour Ring Screwdriver Set

STA60490-XJ

- FORGED AND GROUND SCREWDRIVER BITS: For long life and durability
- PRECISION MACHINED: For a perfect fit
- COLOUR CODED RING: Easily identify the different screwdriver bit types by colour
- FITMENT: 1/4"/6.35mm Hex
- MAGNETIC BIT HOLDER: Strong magnet to hold 25mm screwdriver bits.
- APPLICATIONS: For screwdriving using a corded or cordless drill
- COMPACT CASE: Small robust case with belt clip for easy transport and storage

Includes

- (3pc) 25mm Screwdriver bits (S2) 1x PH1, 1x PH2, 1x PH3
- (4pc) 25mm Screwdriver bits (S2) 1x PZ1, 2x PZ2, 1x PZ3
- (4 pc) 25mm Screwdriver bits (S2) 1x SL 3, 1x SL4, 1x SL5, 1x SL6
- (12 pc) 25mm Screwdriver bits (S2) 2x T10, 2x T15, 2x T25, 2x T27, 2x T30, 2x T40
- (7 pc) 25mm Screwdriver bits (S2) 1x TH10, 1x TH15, 1x TH20, 1x TH25, 1x TH27, 1x TH30, 1x TH40
- (1 pc) Magnetic bit holder



Stanley Kroc Set - 17 Piece Screwdriver Set

STA62635-XJ

STANLEY® 17 Piece Screwdriver Bits With Magnetic End Adapter is ideal for use in all screwdriving tasks in metal, wood, plastic and drywall materials

- FITMENT: 1/4"/6.35mm Hex
- COMPACT CASE: Small robust case for easy storage
- MANUAL SCREWDRIVER: Insert the magnetic bit holder into the side of the case to complete lightweight , manual screwdriving tasks

Includes

- (3) 25mm Screwdriver bits (S2) Ph1, Ph2, Ph3
- (3) 25mm Screwdriver bits (S2) Pz1, Pz2, Pz3
- (5) 25mm Screwdriver bits (S2) Torx® 10,15,20,25,30
- (3) 25mm Screwdriver bits (S2) 1x Hex 3,4,5
- (2) 25mm Screwdriver bits (S2) SL4, SL6mm
- (1) Magnetic end adapter



16 Piece Drilling and Screwdriving Set

STA7221-XJ

- Assortment of drill bits and screwdriver bits for DIY tasks
- Case developed to protect and organize the accessories.
- Multiple application from screwdriving to drilling into different materials
- HSS Titanium Metal drill bits - 2mm, 3mm, 4mm, 5mm, 6mm-4pc
- Magnetic screwdriver bit holder -1pc
- 25 mm screwdriver bits (Pz1, Pz2, Pz3, Ph1, Ph2, SL4, SL6)-6pc
- Masonry drill bits- 5mm, 6mm, 8 mm-3 pc



HCS Hole Saw set 25/32/38/45/50/56/62mm depth of cut 41mm

STA81005-XJ

- 7Pcs Holesaw set of size: 25, 32, 38, 45, 50, 56 & 62mm with a cutting depth of 41 mm
- Stanley hole saw set designed for use in Wood and PVC.
- Combines the hardness of high speed steel teeth and the flexibility of a high carbon steel body ensures a strong and durable hole saw for use in wood.
- Lightweight and easy to use for all wood working applications.



NEW Family set - 70 piece with Titanium

STA7184-XJ

- Titanium Metal Drill Bit dia : 1.5 - 8.0 mm (13 Pcs)
- Masonry Drill Bits : 4.0- 8.00 mm (5 Pcs)
- Wood drill bits : 3.0- 8.0 mm (5Pcs)
- Screw Driver bits 50mm (12 Pcs)
- Screw Driver bits 25 mm (25 Pcs)
- Magnetic Holder 60 mm(1 Pc)
- Conter sunk Drill Bit (1 Pc)
- Nut Driver (8 Pcs)
- Sets assortment selected to attend the most common uses.
- Case developed to protect and organize the accessories.
- Multiple application from screwdriving to drilling into different materials



29 piece Bit Set +1 Magnetic Bit Holder 60mm

STA60525-XJ

Stanley STA60525-XJ: Number of bits: 29 pc(s) +1 Magnetic Bit Holder 60mm

Stanley accessories offer a range of universal products for all applications and to fit all leading power tool brands.

Screwdrivers/bits tips included: Phillips, Torx, Screwdrivers/bits sizes: 1x 50 mm SL6, Ph1, Ph2, Ph3, T10, T15, T20, Hx4, Hx5, 25 mm SL4, SL6, h1, 2x Ph2, 1x Ph3, Pz1, 2x.... Shank shape: Hexagonal

Quantity in pack: 30

Suitable for: Ideal for use in a power drill for all screwdriving tasks in metal, wood, plastic and drywall materials.



16 Piece Mixed Accessory Drill Bit Set

A7186-XJ

Specification:

- 16pc Mixed Accessory Set
- Size: Masonry drilling - 5, 6 & 8mm bits
- Screwdriving - 7 x 25mm bits (PZ,TX,SL)
- Metal drilling - 2, 4 & 6mm bits
- Wood drilling - 4 & 6mm bits,
- Suitable For: Wall, Metal,& Wood



45 PC SCREWDRIVER + DRILL SET

A7234-XJ

Specification:

- 45 Piece mixed set - Perfect for masonry, metal, wood drilling and screw driving
- Easy, organized workbench or toolbox storage with clear markings of bit sizes
- Multiple pieces of popular small diameter bits included
- Provides drilling, screwdriving, & much more variety for project completion



BLACK+DECKER 109 PC Mixed Accessory SET

A7200-XJ

Specification:

- Ergonomically designed with complete kit
- Accessories drill bits set for metal, wood, masonry, various screwdriver blades/bits, impact sockets, titanium bits etc
- Magnetized screwdriver and socket set, a durable and high tempered storage carrying case, the titanium drill tool set has various sorts of drills and socket to fulfill wide range of requirements
- Easy, organized workbench or toolbox storage with clear markings of bit sizes
- Provides drilling, screwdriving, & much more variety for project completion



31 Pc Automobile Maintenance Set

A7142-XJ

- Automobile Maintenance Kit contents have Philips/Torx/Pozidrive/slotted screwdriver bits
- Kit for automotive maintenance
- Includes: Screwdriver Bits (Ph1,Ph2X2,Ph3,PZ1,PZ2 X2,PZ3,SL4,SL6,SL8,T15,T20,T25,T30,T40,HX3,HX4,HX5), Magnetic holderX1, ScrewdriverX1, RatchetX1, Ratchet RodX1, Sockets 6mm, 7mm, 8mm, 10mm, 11mm, 13X2mm, Socket HolderX1, Ratchet ConnectorX1, Screwdriver connectorX1
- A7142-XJ has everything that you may need for any repairs in full portable mode from breakdowns on the road or damages in the household
- Exceptional portable tool kit that is always needed at hand to fill the requirements of most essential tools



SOS/Torch/Vest Accessories Kit 35 Pieces

A7224-XJ

- 1 Safety reflecting Vest
- 1 led SOS Torch – (2 x AAA batteries-not included)
- 1 x screwdriver handle
- 1 socket adaptor
- Sockets 6/7/8/10/11/13 mm
- 5 Tx 15/20/25/30/40
- 9 Pieces bits: 2 x Ph 1/2, 2/3 x Pz 1/2 x 2/3 Sl 4/6-hx 3/4
- 1 Magnetic Bit Holder



71PC AUTOMOBILE ACC SET

A7144-XJ

- A 71-piece service package for passenger cars/ Bikes that includes a range of common tools - offering a solution to the most common technical problems
- Clear, Well-separated layout, Roll-up, Durable Canvases
- Wide range of tools. Quality products, Outstanding value for money
- Contents: Phillips Screw Driver bits; Slotted Screw Driver bits; Torx Screw Driver bits; Pozi drive Screw Driver bits; Phillips Screw Driver; Slotted Screw Driver; Torx Screw Driver; 12-Piece Hexagon Spanner set; Ring Spanner; Needle-nosed pliers, Combination pliers, Socket adapter; Sockets; Reversible Ratchet; Adjustable spanner; Torch; AA batteries; Telescopic rod; Bit Ratchet Screw Driver with ratchet
- Compact, Lightweight Design



56 PCS (L2) SCREWDRIVING SET

A7104-XJ

- Contents: Screwdriver bits (25 mm) Philips: 4x PH1, 4 x PH2, 2 x PH3. Pozidriv: 2x PZ1, 2 x PZ2, 2 x PZ3, Slotted: 2x SL4, 4x SL6, 2x SL7.2 Torx: 2x TX10, 2x TX15, 2x TX20, 2x TX25 Hex: 2x HEX3, 2x HEX4, 2x HEX5, 2x HEX6. Screwdriver bits (50 mm) Philips: PH1, PH2, PH3, Pozidriv: PZ1, PZ2, Slotted: SL6, and SL7.2. Sockets: 5, 6, 7, 8, 10, 11, 12 mm. 1x Hand Ratchet and 1x Magnetic Holder
- An ergonomic ratchet screw driver, which makes the task of fastening screws and bolts a lot easier
- The set can be used in electronics, electrical, wood working and other hardware maintenance task
- The driver bits and sockets are made of high quality materials to withstand heavy duty usage.



Precision Screw Driving Set

A7197-XJ

Specification:

- Type: Tool Sets
- Set of 12 pieces - 6 precision double inserts & Screw Driver
- Sizes: PH000,PH00 ,PH0,Standard 1.5,Standard 2.0, Standard 2.5, T4, T6, T7, T8, T10, T15.



50 Piece Mixed Accessory Set

A7188-XJ

- Drill & screw bit set Accessory kit with the most important accessories for drilling & screws. 50-piece.
- Set with the most common metal, wood and masonry drill bits, as well as various screwdriver bits and much more.
- Box Equipment.: Magnetic Holder - 60mm, countersinks, 20 screwdriver bits (25mm), 9 HSS drill (titanium coated), 6 masonry drill, 5 wood drill, 1 Socket Adapter, 6 sockets, 1 metal centre punch, Magnetic bit holder & Storage case.



Notes

[illegible]

STANLEY BLACK & DECKER INDIA PVT.LTD
28 Akemps, 3rd Main, 1st Cross, Ashwini Layout,
Koramangala, Intermediate Ring Road,
Bangalore - 560 047

E: sbd-customercommunications@sbdinc.com
Help Line No. : 1800 203 0644

CAT- SW0003

STANLEY

DeWALT

BLACK+DECKER

 **FACOM**

 **PROTO**

 **IRWIN**

 **LENX**
ALWAYS HUNGRY