



A LEGACY OF EXCELLENCE. A PROMISE OF PERFORMANCE.

Total Abrasive Solutions by Norton.



SMART. DEPENDABLE. SUSTAINABLE.



Saint Gobain is present in 75 countries with over 166,000 employees. Saint Gobain designs, produces and distributes materials and solutions designed for the well being of everyone and the future of all. These materials are found everywhere in our home and our daily life: buildings, transport, infrastructure, as well as in many industrial applications. They bring comfort, performance and security while meeting the challenges of sustainable construction, effective resource management and climate change.





A TRUSTED BRAND FOR OVER 135+ YEARS

Since the last 135+ years, Norton has focused on providing Innovative Abrasive Products that solve customers' manufacturing needs wherever materials are cut, shaped or finished. Norton offers our customers with the industry's most comprehensive line of quality abrasives and has unmatched solutions across all industry segments for Cutting to Polishing.

GRINDWELL NORTON LIMITED

Founded in 1941,

Grindwell Abrasives, as Grindwell Norton was then known, is an Indian arm of the Saint Gobain Conglomerate. The company commands a leadership position for abrasives in India with state of the art manufacturing plants at Bangalore, Baddi, Mora and Nagpur.





Introduced in 1979, Zirkon comes with a unique Zirconia Alumina abrasive grains and an advanced bonding technology that offers superior Available across product segments

- Premium Zirconia grains offers superior Cut rate & Longer life
- Strong backing & unique coating process resists Tear & Edge Shedding

Weld removal, Deburring, Surface

Diameter - 4", 5" & 7"



- Premium Zirconia Abrasive grains offers superior Cut rate, Longer life and Burn free cutting
- High resistance to Tear
- Withstand high grinding pressure

Applications

Grinding and deburring of all metals, forging components hand tools & casting, aluminum casting, brass casting and SS

Availability

Narrow Belt - Up to 450mm File Belt - Up to 30 mm Grit - 24 to 120



ZIRKON BELTS





For performance par excellence!

Introduced in 1983, Norton Alkon harnesses the cutting power of Premium Aluminum oxide grains for fast, precise results in Fibre Discs, Premium Belts, and Cloth Rolls. Engineered for durability and a clean finish, Norton Alkon is your ideal choice for tackling wood fabrication challenges with ease.

- Premium Aluminum oxide grains for fast cutting
- Strong Backing & Unique coating process gives high Quality Finish
- Versatile on all work materials

Applications

Wood sanding, Light Weld blending, Burr removal & Surface preparation

Availability

Diameter - 4", 5" & 7" Grit - 24 to 120



- Superior Cut rate and Longer life
- High strength and resistance to Tear
- Withstand high grinding pressure

Applications

Grinding and deburring of all metals, forging components hand tools & casting, aluminum casting, brass casting and SS

Availability

Narrow Belt - Up to 450mm File Belt - Up to 30 mm Grit - 150 to 600

ALKON PREMIUM BELTS









The Best from Norton. Period.

Since its inception in 1980, the brand has consistently stood for high performance and quality by any standards. No competition has ever come close to the performance delivered by the products in Spitfire range.

- Best in Class Product with superior Cut rate and Longer Life
- Made with Innovative Bond system and new age grains

Applications

Pipe & Rod cutting, Angle cutting, Sheet metal cutting

Availability Diameter - 4" & 5" Thickness - 1mm

- 0∑▲[®] EN12413
- Best in class product with fast cutting & Superior Product Life
- Premium Engineered grains with special reinforcements
- Versatil Suitable for all types of materials

Applications

Small, Medium & heavy fabrication

Availability

Diameter - 14" Thickness - 2.8mm

SPITFIRE XTREME CHOPSAW WHEELS





- Friable Aluminum Oxide grains & superior cloth backing ensure uniform surface finish
- Versatile on all work materials

Stainless steel surface preparation & Polishing

Availability

Diameter - 6" & 8" Width - 25 & 50mm Grit - 60 to 600

- •` Engineered cloth backing for higher life
- Premium friable grains for excellent finish
- Good cut rate
- Uniform Flap wear

Applications

SS Pipe Polishing, Utensils Polishing, Automotive Components Polishing & General Fabrication

Availability


Diameter - 10", 12" & 14" Width - 15mm to 110mm Grit - 60 to 1200

SPITFIRE XTREME LDFW









The Xpert you can truly rely on!

Norton Xpert Rapid range of products is to deliver value in terms of performance in an efficient and reliable way. Transform your cutting and Grinding tasks with Xpert Rapid. Made with premium grain technology for exceptional cut rates and durability, Xpert Rapid delivers fast, burn free cutting for all your SS and MS fabrication needs.

- Superior Cut rate and Longer Life
- EN12413 Safety Complaint
- Compatible for SS and MS
- Made in India

Applications

Pipe & Rod cutting, Angle cutting, Sheet metal cutting

Availability Diameter - 4" & 5" Thickness - 1, 1.2, 2mm

- Premium Grain technology delivers high wear resistance for best cutting performance
- Increases productivity and Saves cost with low power consumption


Applications

Projects & Construction Sites, Small and medium scale fabrication

Availability

Diameter - 7" Thickness - 3mm

XPERT RAPID CUT OFF WHEEL





- Fast, Bur & Burn free Cutting
- Longer Life
- High operator safety Conforms to EN12413 standard

Pipe Cutting, Bar Cutting, Angle Cutting, Channel Cutting

Availability Diameter - 14" Thickness - 2.8mm(VAV & AVA)

- Specially designed grains give higher cut rate and Less chipping ensures higher safety
- Conforms to EN12413 standard
- Compatible with cordless

compatible with colum

Applications

Weld Blending and Removal, Surface Finishing, Chamfering

Availability

Diameter - 4" & 5" **Thickness -** 4 & 6mm





- Versatile Product for Foundry & Fabrication
- EN12413 Safety Complaint
- Products are made with Premium grains

General Fabrication, Scale Removal, Runner / Riser Grinding, Parting Line Removal and Back Gouging PEB structures

Availability

Diameter - 7" Thickness - 6, 6.6mm







Norton Champ range of products is our ultimate value for money brand. The range is set out with a brand promise to deliver performance in a cost-efficient way and hence this brand's personality resonates with our price-conscious customers.

- Self sharpening grains enable fast cutting
- Double reinforcement for high user comfort & enhanced safety
- Value for money

Applications

Sheet Metal Cutting, Pipe Cutting, Angle Cutting

Availability Diameter - 4" & 5" Thickness - 1 & 1.2mm

- Lasts longer, ensures more productivity
- Extra safety with double net construction
- Cost effective and easy on pocket

Applications

Sheet Metal Cutting, Pipe Cutting, Channel & Angle Cutting

Availability

Diameter - 7" Thickness - 1.6mm

CHAMP 7" ULTRA THIN WHEEL





- Self sharpening grains enable fast cutting
- Offers high user comfort
- Value for money

Furniture market, Structure fabrication, General fabrication, SS bar, Sheet cutting

Availability

Diameter - 14" Thickness - 2.6 & 2.8mm(AVA)

- Made with High Quality Grains
- Fast Metal Cutting & Longer Life
- Ideal for High Power Machines
- Double Safety net

Applications

Heavy Metal cutting, Structure and General Fabrication

Availability

Diameter - 14" Thickness - 3mm (VAV)

CHAMP CHOPSAW WHEELS





- Good Cut rate & Longer Life
- Low Machine Maintenance
- Light weight Product and better user comfort
- Value for Money product

Weld Removal and Blending, Chamfering and De-burring, SS medium to heavy fabrication

Availability

Diameter - 4" & 5" Thickness - 4 & 6mm

- Superior Quality sharp grains for fast cutting
- Value for money

Applications

Wood sanding, Light Weld blending, Burr removal & Surface preparation

Availability

Diameter - 4", 5" & 7" Grit - 24 to 120



CHAMP



- Made from a premium blend of Aluminum Oxide abrasive grains
- Strong cloth backing
- 7 layered Glass Fibre Discs (GFD)
- Uniform flap density & placement

Deburring, Blending of weld marks, Edge chamfering, Rust removal from MS / SS, Cleaning and finishing

Availability

Diameter - 4" & 5" **Grit -** 60 to 120 **Backing -** GFD & Metal





Norton Bear range stands for delivering good performance at an affordable price; Norton offers products from Cutting till Polishing under this Brand.

- <section-header><text>
- Longer Life
- Double reinforcement for high user comfort & enhanced safety
- Value for money

Applications

Pipe, Angle and Rod Cutting

Availability Diameter - 4" Thickness - 1mm

- Industry benchmark for quality and performance
- Premium performance with high operating comfort
- Higher material removal across all cross sections
- Ideal for rugged application

Applications

Small, medium & heavy fabrication, Project sites

Availability

Diameter - 14" Thickness - 3mm

BEAR CHOPSAW WHEELS





- Combination of high cut rate and optimum product life
- Unique product construction for higher operating comfort

Light to medium fabrication

Availability

Diameter - 4" & 5" **Thickness -** 4 & 6mm

- Optimized Flap construction with reinforced backing for extend product life
- Sharp Aluminum oxide grains offer superior cut rate & smear free surface finish

Applications

SS & MS Weld blending & Surface preparation

Availability

Diameter - 4", 5" & 7" Grit - 36 to 120 Backing - Metal, GFD & Plastic

BEAR PREMIUM FLAP DISC





- Optimized wheel construction for desired performance
- Value for money

Stainless steel surface preparation & Polishing

Availability

Diameter - 6" & 8" Width - 25 & 50mm Grit - 60 to 600

- Tough Aluminium Oxide grains offer excellent cut rate & longer life
- Specially engineered cloth backing synthetic bond system ensure low dust generation
- High tensile strength spindle facilitates smooth operation at high speeds
- Value for money

Applications


SS and Metal Fabrication, ID Polishing, Deburring & Cleaning, Finishing hard to reach parts of the job

Availability

STD Size - 25 x 25mm, 50 x 25mm, 60 x 40mm, **Non-Standard -** 20-80mm, **Height -** 10 - 50mm **Grit -** 60 to 600







Norton Clipper combines advanced technology with superior durability, delivering fast, precise cutting and extended product life. Be it stone, wood, metal, or ceramics, Clipper guarantees exceptional performance and professional-grade results.

- Hot-pressed technology for more durable application
- Super-fast cutting and very long life on all materials from soft to hard
- Suitable for Wet and Dry cutting applications

Applications

Granite, Marble, Concrete, Brick & Stone Cutting

Availability Diameter - 4" & 5"

- 800 RFT Life
- 10mm Segment Height
- Fast Cut Rate, Easy Cutting

Applications

Granite, Marble, Concrete, Brick & Stone Cutting

Availability Diameter - 4" & 5"

CLIPPER DIAMOND BLADES





- ATB Design
- 92 HRC Tungsten Carbide
- Long Life
- Burn Free Cutting

Applications Wood, MDF, Plywood Cutting

Availability Diameter - 4" & 5"

• ATB Design

- 91 HRC Tungsten Carbide
- Long Life
- Burn Free Cutting
- 1.6mm Kerf Thickness
- Cuts Through Nails

Applications

Wood, MDF, Plywood Cutting

Availability Diameter - 4", 5" &7"

CLIPPER WOOD CUTTER





- Higher Diamond Concentration
- Ultra thin for minimal wastage
- Zero Chipping

Applications Granite, Marble & Tiles

Availability Diameter - 4"

- Superior Quality TCT
- 4 Flute Design
- Faster Drilling
- Longer Life
- Robust Shank

Applications Concrete & Brick Drillings

Availability Diameter - Multiple Sizes





- Premium Quality
- Nylon Bristles
- Long Life
- Superior Shape Retention

Applications Metal, Wood & Ceramic Finishing

Availability Diameter - 4"


- Premium Quality Wires
- Robust Cup
- Long Life
- Longer Shape Retention

Applications

Wood Polishing, Weld Blending & Deburring

Availability Diameter - 3" & 4"





- Superior Finish
- Light Weight
- Easy to Use
- Fast Material Removal
- Long Life

Applications Stone Grinding

Availability Diameter- 4" Grit- 46, 60, 80 & 120

TOOL RESHARPENING



Norton's high performance abrasives optimize your tool resharpening process, guaranteeing precision and extended tool life. Count on Norton for reliable solutions that deliver consistent results for all your sharpening needs.

• Premium grain facilitates quick edge sharpening & clean deburring

Applications

Sharpening of carpentry tools, Knives, Scissors, Mould and die polishing, Deburring

Availability

Diameter - 150 x 50 x 25mm 200 x 50 x 25mm

- Available in both Aluminum oxide and Silicon carbide
- Unique bond allows free cutting & higher life

Applications

Grinding of excess material in casting and forging, Resharpening of single point cutting tool, Weld preparation, Die maintenance

Availability

Diameter - 150 - 600mm Thickness - 13 - 50mm





- Premium Silicon carbide grain for less metallurgical damage
- High efficiency for the right edge

Carbide tool regrinding, Toolroom for carbide dies

Availability

Diameter - 150 - 300mm Thickness - 13, 20 & 25mm

- Superior Life
- Value for Money Product


Applications

Resharpening of single point cutting tool, Weld preparation, Die maintenance

Availability

Diameter - 200mm Thickness - 25mm





- Precision grinding wheels made with Aluminium oxide for your Cylindrical and surface grinding needs.
- Works on hard and soft material.
- Ideal for Auto parts

Applications Cylindrical Plunge Grinding

Availability

Diameter - 300 to 500mm Thickness - 25 to 50mm

- Precision grinding wheels for through feed and plunge centerless grinding.
- Best in class performance.

Applications

Centerless through feed grinding

Availability

Diameter - 350 to 610mm Thickness - 100 to 250mm

NORTON CENTRELESS WHEELS







Norton's advanced abrasives enhance metal polishing, delivering mirror like finish with ease. Trust in Norton's quality for consistent results and impeccable shine on every metal surface.

- Premium Nylon fibre, tough & friable Aluminum oxide grains; Uniform coating ensure high cut rate & smear free surface finish
- Versatile on all materials

Applications

SS Blending & Polishing

Availability

Diameter - 4" Thickness - 12.5 & 15mm Density - U1, U3 & U5

- Premium Silicon carbide abrasive for faster cut rate
- Friable Aluminium oxide abrasive for longer life
- Nylon fibre & strong bond system offers smear free surface finish

Applications

SS Hinges, Br ass Sanitary ware fittings, Utensils, Pharma equipment's, SS Fabrication

Availability

Diameter - 6" & 8" Thickness - 25 & 50mm Density - U1, U3, U5, U8 **BEAR** UNIFIED WHEELS





- Premium Nylon fibre & friable Aluminium oxide grains make it conform to contours
- Open structure resists loading
- Versatile on all metals

Surface cleaning, Blending, Finishing, Rust removal, Metal Scrubbing

Availability Diameter - 230 x 150mm

• Superior web construction for higher service life

- Tough grade aluminum oxide for versatile
- Ideal for wood, wall and metal finishing & general cleaning

Applications

Cleaning, Deburring, Rust removal & Polishing

Availability Diameter - 230 x 150mm

BEAR PREMIUM HAND PADS







Norton's advanced range of abrasives enhance sanding, providing a smooth and refined surface effortlessly. Rely on Norton for consistent quality and superior results in every sanding application.

- Tough Aluminium Oxide grains offer superior cut rate & longer life
- Film backing & anti-loading properties ensure
- uniform finish & make it tear resistant Versatile for all materials

Applications Wood, Metal & Paint surface sanding

Availability Diameter - 5" & 6" Grit - 140 to 2000

- Uniform Tear ability and excellent cutting
- High Strength Backing and Less Loading

Applications

Woodworking & Furniture Working

Availability

Length - 50mtr Width - 2" to 6" Grit - 36 to 120

LION MAX LIFE CLOTH ROLL -R260N





- Higher area coverage
- High cut rate
- Smooth finish

Applications Wood Polishing Wall Putty Sanding

Availability Grit range - Grit range: 80 - 320

- Norton's best in class latex yellow waterproof paper
- Premium SiC grains provide high cut rate and smooth finish
- Ideal for both wet and dry sanding applications

Applications

Wall Putty Sanding, Auto Paint Stripping, Wood Polishing

Availability Grit range - 60 - 1000







- Premium grain ensures faster cutting and longer life
- Specially designed paper offer excellent water resistance

PU & Polyester Wood Finishing Wall Putty Sanding Auto Paint Stripping

Availability Grit - 60 - 2000

- Latex Water Proof Paper with Silicon Carbide Grains
- High Flexibility and gives Superior Finish
- Fit to work on complex surfaces

Applications

Automotive Paint Stripping Wood Polishing Paint Sanding

Availability Grit range - 80 - 2000



LATEX WATERPROOF

HOH

NOTES



SAINT-GOBAIN

GRINDWELL NORTON LTD.

5th Level, Leela Business Park, Andheri-Kurla Road, Marol, Andheri (East), Mumbai - 400 059, Maharashtra, India.





Help us serve you better: Call us on: 1800 3000 8199

Write to us at: norton.abrasives@saint-gobain.com www.nortonabrasives.com



