

DEWALT[®]

OUTDOOR RANGE BROCHURE



StanleyBlack&Decker

GUARANTEED TOUGH.®

DEWALT® OUTDOOR

PROFESSIONAL **POWERTOOLS ARE GUARANTEED THOUGH**



CLEANER, QUIETER, SMARTER

Compared to petrol-powered landscaping tools, our 54V XR FLEXVOLT series and 18V XR range offer cleaner, more efficient and sustainable solutions that generate significantly lower noise levels. These benefits are in addition to our renowned reliability, robustness and durability.

FREEDOM

With no trailing cables and no need to be near an electrical point when working, operating our landscaping tools couldn't be easier. Start-up is as simple as sliding a battery in and a giving single trigger pull, while full variable triggers deliver both power and control.

COMFORT

Compact yet sturdy lightweight designs minimise stress to your arms when in use. Combined with ergonomic handles allows for extended tool use without compromise.

RUNTIME TO RIVAL PETROL

Traditional mechanical carbon brush motors generate friction and heat build-up, resulting in lost energy and reduced runtime. We use brushless motors that run more efficiently and cooler and have a longer runtime between charges. Coupled with the high-capacity 54V XR FLEXVOLT® battery our outdoor tools have the power and runtime to rival traditional petrol-powered alternatives.







18V XR®

DeWALT®
OUTDOOR
POWER EQUIPMENT

54V XR FLEXVOLT® BRUSHLESS
BLOWER, DC MBA572

Designed for the fast and effective removal of construction debris, workshop waste, leaves, twigs, moss and other stubborn garden matter, this versatile and powerful cordless blower will be welcomed by an array of professional users including construction teams, carpenters, metal and woodworkers, gardeners, landscapers, park clean-up workers and clearance specialists. Axial blower model are suitable for blowing on wide areas.

SPECIFICATIONS	
Air volume	650 cfm (18.4 m³/min)
Blow speed	200 km/h
Sound power level	97 dBA
Weight	3.1 kg

PART. NO.	PRODUCT DESCRIPTION
DC MBA572N-XJ	54V XR FLEXVOLT® Brushless Blower - Bare Tool Only



18V XR®

DEWALT®
OUTDOOR
POWER EQUIPMENT

18V XR® BRUSHLESS BLOWER,
DCMBL562

Powerful brushless motor to deliver performance on a variety of applications. Weight is properly distributed for comfortable use and maximum maneuverability. “Cruise” control trigger for speed lock in specific applications. Differentiate in aisle by offering a concentrator in a “new to market” format. Concentrator that is compatible with axial fan design. “Aerospike” Concentrator Concentrate the air flow for a higher speed up to 200 km/h. Pick the right performance for every job.

SPECIFICATIONS	
Air Speed	200 km/h
Air Volume	450 CFM
Sound power level	95 dBA
Weight (without battery pack)	3.1 kg

PART. NO.	PRODUCT DESCRIPTION
DCMBL562N-XJ	18V XR® Brushless Blower - Bare Tool Only

LOW
NOISE
HIGH PERFORMANCE

18V XR

DEWALT
OUTDOOR
POWER EQUIPMENT

54V XR FLEXVOLT® BRUSHLESS
BLOWER, DCMBL777

The DEWALT® 54V XR FLEXVOLT® Brushless Axial Blower powers through your task with up to 21.5 m³/min air volume and 258 KPH. Ideal for landscapers, groundskeepers and professional gardeners it has been designed with features to make work easier and more efficient. This cordless handheld axial blower features a highly efficient brushless motor providing allowing for quiet operation and an excellent power-to-weight ratio with a variable speed trigger and speed lock to control the blower output. Its well-balanced design and optimized controls make it easy to use for right-and left-handed users. Part of the 54V XR FLEXVOLT® battery system, that can both power your line-up of 54V XR® tools and equipment as well as your 18V tools and can be charged with your 18V chargers.

SPECIFICATIONS	
Power	54V
Fantype	Axial
Air volume	760 cfm (21.5 m³/min)
Blow speed	258 km/h
Sound power level	96 dBA
Weight without akku	3.2 kg
Runtime in Ecomode:	Up to 17 minutes of runtime - bare (N): *Per charge, using a DEWALT® DCB547-XJ 9.0 Ah battery on Eco Mode, no load (battery sold separately). - Kitted (X1): *Per charge, using a DEWALT® DCB547-XJ 9.0 PAh battery on Eco Mode, no load.
PART. NO.	PRODUCT DESCRIPTION
DCMBL777N-XJ	54V XR FLEXVOLT® Brushless Blower - Bare Tool Only

* Included in the kits are: 1x Shoulder Strap, 1 x Concentrator nozzle, 1 x sweeping nozzle.



18V XR

DEWALT
OUTDOOR
POWER EQUIPMENT

54V XR FLEXVOLT® 50 CM HIGH
POWERED CHAINSAW, DCMCS575

Made for professional landscape use, the 54V XR FLEXVOLT® Chainsaw delivers 20 percent more peak power and more than 2X the max torque than a 50.2 cc gas chainsaw. Capable of cutting through 17-In. white oak logs as fast as 15 seconds using a DCB547 battery, the chainsaw features robust chain tensioning for reliable chain retention, auto-oiling for longevity of use, a chain brake and an onboard wrench for quick chain adjustments.

Up to 65 cuts on 150 x 150 mm per charge (9.0 Ah)
Up to 85 cuts on 150 x 150 mm per charge (12.0 Ah)
Up to 115 cuts on 150 x 150 mm per charge (15.0 Ah)

SPECIFICATIONS

Motor	54V
Power rating	2900 W (DCB547 battery)/3300 W (DCB549 battery)
Petrol equivalent	50CC
Bar/chain	50 cm
Chain tension	Dual lock
Bucking spikes	Metal
Oiler	Automatic
Weight without akku	5.5 kg

PART. NO. PRODUCT DESCRIPTION

DCMCS575N-XJ	54V XR FLEXVOLT® 50 cm High Powered Chainsaw - Bare Tool Only*
--------------	--

*50 cm Pro-Am, 3/8-9 tooth sprocket nose, .050" gauge, 68 links, semi chisel, File: 4 mm.



18V XR®

DEWALT®
OUTDOOR
POWER EQUIPMENT

18V XR® BRUSHLESS 30 CM
CHAINSAW, DCMCS565

Introducing the ultimate chainsaw for all your cutting needs! Our chainsaw is engineered with an improved oil cap, ensuring hassle-free maintenance and optimal performance. The tooled tensioning system allows for precise adjustments, giving you complete control over your cutting tasks. Designed with an ergonomic grip, this chainsaw provides maximum comfort and reduces fatigue during extended use. The onboard tool storage ensures that you have all the necessary tools at your fingertips, making your work more efficient. Equipped with a robust 30 cm bar and chain, it delivers powerful and reliable cutting performance. Whether you're pruning branches or cutting firewood, our chainsaw is the perfect companion for any job. Experience the convenience and power of our high-quality chainsaw and make your cutting tasks easier than ever!

SPECIFICATIONS	
Bar length	30 cm
Chain speed	7.3 m/s
Chain Pitch	3/8"
Motor Type	Brushless
Oil tank capacity	215 ml
Cuts per charge (5.0 Ah)	Up to 100 cuts in 4"x4" timber
Weight	3.5 kg
PART. NO.	PRODUCT DESCRIPTION
DCMCS565N-XJ	18V XR® Brushless 30 cm Chainsaw - Bare Tool Only



18V XR®

DEWALT®
OUTDOOR
POWER EQUIPMENT

18V XR® PRUNING SAW, DCMPS520

Be ready for the outdoor season to cut down branches and bushes with the new pruner chainsaw. Maximum cutting capacity up to 15 cm (6”), and with a metal pruning tip – for control and safety during application, mitigates kickback risk as well. Automatic oiler which keeps bar and chain lubricated during use. Brushless motor for high efficiency and long run time. Bolt lock chain tensioning – for reliable bar retention. Body grip design with hand guard – for control and safety during application use.

SPECIFICATIONS	
Power voltage	18V
Bar length	20 cm
Max. chain speed (no-load)	8.6 m/s
Max. cutting Length	15 cm
Oil capacity	55 ml
Weight (without akku)	2.1 kg
Runtime (DCB184/5,0 Ah)	70 cuts in a 4” x 4” beam
Pitch	3/8” LP
Gauge	0.043”, (1.1 mm)
Drive links	34
PART. NO. PRODUCT DESCRIPTION	
DCMPS520N-XJ*	18V XR® Pruning Saw - Bare Tool Only

*N version is bare unit in carton, with wrench and scabbard.
**X1 version comes in carton with 1 x DCB184 5 Ah battery, DCB1104 4amp charger in a carton with wrench and scabbard.



18V XR®

DEWALT®
OUTDOOR
POWER EQUIPMENT

18V XR® POLE SAW, DCMPS567

This ergonomic tool has been meticulously engineered by DEWALT® with a lightweight, well-balanced and sturdy form factor, making it easy to manoeuvre even at its fully extended length. Made from light aluminium tubing and at just 4.5 kg. The new DEWALT® Pole Saw reaches as far as 4.5 metres*, with an angled head that gives users a more controlled position, particularly for tougher jobs such as limbing or felling.

SPECIFICATIONS	
Reach (Extended)	3.0 m, with extension pole = 4.5 m reach
Weight	4.5 kg
Bar length	20 cm
Bucking strips	Yes
Brushless motor	Yes
Cuts per charge (5.0 Ah)	55 cuts in 4" x 4" timber
PART. NO. PRODUCT DESCRIPTION	
DCMPS567N-XJ	18V XR® Pole Saw - Bare Tool Only

*Based on a 1.8 m person holding the pole in a straightened position at chest level.



18V XR®

DEWALT®
OUTDOOR
POWER EQUIPMENT

18V XR® 55 CM POLE HEDGE
TRIMMER (25 MM BLADE GAP),
DCMPH566

This pole hedge trimmer has extensive 3.35 m reach and innovative articulating 7-position head, combined with an operating speed of 2800 spm, professionals can power through demanding jobs in complete control of the tool, whatever the height, shape or density of the foliage. Delivering extreme runtime of up to 75 minutes. With a 550 mm blade length and impressive 25 mm cutting width, this robust tool provides consistently reliable cutting performance.

SPECIFICATIONS	
Max reach	3.35 m
Blade length	55 cm
Blade gap	25 mm
Blade strokes	2800 spm
Runtime (with 5.0 Ah battery)	Up to 75 min
Weight	3.6 kg
PART. NO.	PRODUCT DESCRIPTION
DCMPH566N-XJ	18V XR® 55 cm Pole Hedge Trimmer (25 mm Blade Gap) - Bare Tool Only



18V XR®

DEWALT®
OUTDOOR
POWER EQUIPMENT

18V XR® POWER PRUNER,
DCMPP568

Expansion product for 18V XR system user - more outdoor tools to get the job done. The power pruner is a new DEWALT® cutting solution. High efficiency with up to 1000 cuts with one charge (5.0Ah), 38 mm cut capacity and LED Light. Premium ergonomics and designed to be comfortable even when using it all day. Soft Trigger and only 2 Nm force must be applied to actuate, making the product comfortable even during prolonged use.

SPECIFICATIONS	
Battery Voltage	18V
Cuts pr charge	1000 (5Ah)
Cut capacity	38 mm
Blade replacement	Tooled
Adjusted blade opening	No
Non stick coated blades	Yes
PART. NO.	PRODUCT DESCRIPTION
DCMPP568N-XJ	18V XR® Power Pruner - Bare Tool Only



18V XR

DeWALT
OUTDOOR
POWER EQUIPMENT

18V XR® 55 CM HEDGE TRIMMER
(25 MM BLADE GAP), DCMHT564

Discover the perfect solution for maintaining your garden with our advanced hedge trimmer! Designed with an ergonomic grip, this trimmer ensures maximum comfort, reducing fatigue during prolonged use. Its lightweight build makes it incredibly easy to handle, allowing you to trim with precision and ease. Featuring a robust 55 cm blade and a 25 mm cutting gap, which is compatible with our hedge sweep it delivers clean and efficient cuts every time. With an impressive runtime of 78 minutes, you can complete your trimming tasks without any interruptions. Once the job is done, the convenient wall mount for storage, keeps your tool neatly organized and ready for the next use. Elevate your gardening routine with our high-performance hedge trimmer and enjoy a beautifully manicured garden effortlessly!

SPECIFICATIONS	
Blade lenght	55 cm
Blade gab	25 mm
Blade stroke	1400 min
Runtime (With 5.0 Ah battery)	Up to 78 min
Weight without akku	3.2 kg
PART. NO.	PRODUCT DESCRIPTION
DCMHT564N-XJ	18V XR® 55 cm Hedge Trimmer (25 mm Blade Gap) - Bare Tool Only



18V XR®

DEWALT®
OUTDOOR
POWER EQUIPMENT

18V XR® BRUSHLESS STRING
TRIMMER WITH FOLDING SHAFT,
DCMST561

DCMST561 is powered by a high performance DEWALT® brushless motor that delivers a runtime of up to 40 minutes on a single 18V 5.0 Ah battery. With a patented split shaft and hinge format, which allows the string trimmer to fold down to a compact size for easy storing or transporting in a vehicle. Engineered to handle the most challenging of tasks, the large 360 mm swath and 2 mm DEWALT® twisted line ensure absolute precision and impressive cutting results.

SPECIFICATIONS	
Motor	Brushless
Swath	36 cm
Weight	3.5 kg
Speeds	Variable
Feed system	Bump
Feed reload	Quick load
Line	2 mm twisted
PART. NO.	PRODUCT DESCRIPTION
DCMST561N-XJ	18V XR® Brushless String Trimmer with Folding Shaft - Bare Tool Only



18V XR®

DEWALT®
OUTDOOR
POWER EQUIPMENT

18V XR® PUSH LAWN MOWER,
DCMWP134

High-efficiency cutting system with dual blades, designed for extended runtime and cutting performance. 53 cm steel deck mower with autosensing brushless motor, is engineered for cutting performance and durability. 3-in-1 push mower with mulch, bagging and side discharge options for a variety of cutting preferences. Convenient LED dashboard communicates battery state of charge, cutting system difficulty, and blade end of life. One touch handle system quickly telescopes and folds handles for ease of storage. The DEWALT® 2 x 18V Push Lawnmower can complete up to 80 minutes of runtime per charge based on mowing one third of grass height, on height setting 5, using 2 fully charged DEWALT® 18V XR® DCB188 8,0 Ah batteries. The DCB188 can only be bought as a sparepart.

SPECIFICATIONS	
Power voltage	2 x 18V
Cut width	53 cm
Bag Capacity	67 l
Weight (without akku)	28 kg
Cutting heights	1= 25 mm / 2= 41 mm 3= 56 mm / 4= 71 mm 5= 86 mm / 6= 102 mm
3 in 1 function	Mulch, Bag, Side Discharge
Wheels size	18 cm front / 23 cm back
PART. NO.	PRODUCT DESCRIPTION
DCMWP134N-XJ* 2 x	18V XR® Push Lawn Mower - Bare Tool Only



18V XR

DEWALT®
OUTDOOR
POWER EQUIPMENT

2 X 18V SELF-PROPELLED LAWN
MOWER, DCMWSP156

High-efficiency cutting system with dual blades, designed for extended runtime and cutting performance. 53 cm steel deck mower with autosensing brushless motor, is engineered for cutting performance and durability. 3-in-1 push mower with mulch, bagging and side discharge options for a variety of cutting preferences. Convenient LED Dashboard communicates battery state of charge, cutting system difficulty, and blade end of life. One touch handle system quickly telescopes and folds handles for ease of storage. Select your ideal walking pace with variable speed, rear wheel drive. The DEWALT® 2 x 18V Self-Propelled Lawnmower can complete up to 64 minutes of runtime per charge based on mowing one third of grass height, on height setting 5, using 2 fully charged DEWALT® 18V XR® DCB188 8,0 Ah batteries. The DCB188 can only be bought as a sparepart.

SPECIFICATIONS	
Power voltage	2 x 18V
Cut width	53 cm
Bag Capacity	67 l
Weight (without akku)	30 kg
Cutting heights	1= 25 mm / 2= 41 mm 3= 56 mm / 4= 71 mm 5= 86 mm / 6= 102 mm
3 in 1 function	Mulch, Bag, Side Discharge
Wheels size	18 cm front / 23 cm back
PART. NO.	PRODUCT DESCRIPTION
DCMWSP156N-XJ* 2 x	18V Self-Propelled Lawn Mower - Bare Tool Only

* N version is solo unit with carton with twin blades, excl batteries and charger.
**W2 versions are supplied in carton with 2 x DCB188 8.0 Ah batteries and DCB118 8 amp charger and twin blades.



38 MM CUTTING CAPACITY NON STICK COATED BLADES



SEGEMENTED POLE DESIGN



18V XR® POLE PRUNER, DCMPP569

Elevate your pruning tasks with our top-of-the-line pole pruner! Featuring a 3.0-meter collapsible aluminum pole, this pruner allows you to reach high branches with ease while maintaining stability and control. The replaceable non-stick coated blade ensures smooth, clean cuts and long-lasting performance, making maintenance a breeze. With a 5-position articulating head, you can effortlessly adjust the angle for cutting in tight or awkward spaces, ensuring precision and versatility in every job. The metal branch hook adds an extra layer of convenience, helping you pull down trimmed branches safely and efficiently. Perfect for both professional landscapers and gardening enthusiasts, our pole pruner combines durability, functionality, and ease of use. Make your pruning tasks simpler and more efficient with this essential gardening tool!

SPECIFICATIONS	
Battery Voltage	18V
Cut Capacity	38 mm
Blade Replacement	Tooled
Adjusted Blade Opening	No
Non Stick Coated Blades	Yes
Pole Length	Up to 3m
PART. NO. PRODUCT DESCRIPTION	
DCMPP569N-XJ	18V XR® Pole Pruner - Bare Tool Only

ACCESSORIES



DT20666-QZ

Hedge Trimmer Lubricating Spray for
all Edge Trimmers



DT20658-QZ

2 mm x 6 m Quickfeed Spool for
DCM561PBS/DCM561/DCMST561/
DCM571/DCMAS5713/DCMASST1N/
DCMASBC1N



DT20656-QZ

Grass Trimmer Spool and 7.8 mt Line,
2 mm for **DCM561PBS/ DCM561/**
DCM571/DCM5713/DCMAS5713/
DCMASST1N/DCMASBC1N



DT20650-QZ

2 mm x 15.2 m String Trimmer Line for DCM561PBS/DCM561/DCM571/DCMAS5713,DMAST1N/DT20656/DT20658



DT20690-QZ

50 cm Chainsaw Chain for DCMCS575, 50 cm Pro-Am, 3/8-9 Tooth Sprocket Nose, Gauge: 0.050", Links: 68, Semi Chisel, File: 4 mm




DT20688-QZ

45 cm Chainsaw Chain for DCMCS574 45 cm Double Guard, 3/8-7 Tooth Sprocket Nose, Gauge: 0.050", Links: 62, Semi Chisel, File: 4 mm



DT20667-QZ

20 cm Pole Saw Chain for DCMPS567 20 cm Bar, Semi Chisel, Pitch: 3/8" LP, Gauge: 0.043", Links: 35, File: 4.5 mm



DT20676-QZ

30 cm Chainsaw Chain for DCM565, DCMCS565,30 cm Bar, Semi Chisel, Pitch: 3/8" LP, Gauge: 0.050", Links: 45, File: 4 mm



DCMPPRB1-QZ

Pruner Replacement Blades DCMPP568 and DCMPP569



DT20687-QZ

45 cm Chainsaw Bar for DCMCS574 45 cm Double Guard, 3/8-7 Tooth Sprocket Nose, Gauge: 0.050"



DT20689-QZ

50 cm Chainsaw Bar for DCMCS575 50 cm Pro-Am, 3/8-9 Tooth Sprocket Nose, Gauge: 0.050"

DEWALT



**STANLEY BLACK & DECKER
INDIA PRIVATE LIMITED**

28 Akemps, 3rd Main, 1st Cross,
Ashwini Layout, Koramangala,
Intermediate Ring Road, Bangalore - 560047

Customer Support:

✉ sbd-customercommunications@sbdinc.com ☎ +91 9606055835 ☎ 1800 203 0644



SCAN TO FOLLOW US

